

Joint venture companies



LNG Canada Export Terminal Project

**Impact Assessment Agency of Canada
2022 – 2023 Annual Report**

Table of Contents

Executive Summary	5
1. Management Systems.....	5
2. Activities within the Reporting Year	6
3. Community and Indigenous Groups Communications and Consultation.....	6
4. Conditions Performance.....	7
Acronyms/Abbreviations	10
Concordance Table	13
1. Introduction	26
1.1. Project Overview	26
1.2. Best Available Technology	27
1.3. HSSE, Social Performance and Compliance Principles	28
1.4. Report Requirements.....	28
1.5. Transfer of Ownership.....	28
2. Project Activities Update	30
2.1. Construction Activities within the Reporting Year	30
2.1.1. Site preparation	30
2.1.2. Marine.....	31
2.1.3. LNG Facility	31
2.1.4. Temporary Facilities	35
2.1.5. General environment activities.....	35
2.2. Operation Activities within the Reporting Year	36
2.3. Implementation Schedule	37
2.4. Decommissioning.....	38
3. Environmental Management Program	39
3.1. HSSE Management System.....	39
3.2. Environmental Management Plans (Construction)	40
3.2.1. Terrestrial	40
3.2.2. Marine	41
3.3. Environmental Work Plans (Construction)	41
3.4. Mitigation Monitoring and Follow-Up Programs (Construction)	42
3.4.1. Environmental Monitoring Program	42
3.4.2. Contractors Environmental Inspections	43

3.4.3.	EWP Assurance Reviews	44
3.4.4.	Incident Investigation Program	44
3.4.5.	Program Development and Improvements.....	45
3.5.	Records Management	45
4.	Social Performance Program	46
4.1.	Workforce Programs	46
4.1.1.	LNG Canada and JFJV Websites	48
4.1.2.	Social Media	48
4.1.3.	InFocus Magazine	49
4.1.4.	Newspapers and Radio	49
4.1.5.	Social Management Roundtables	50
4.1.6.	Other Forums	51
4.1.7.	Community Feedback Process	52
4.2.	Indigenous Group Consultation Programs	53
4.2.1.	Aboriginal Consultation Plan	53
4.2.2.	Participation Opportunities.....	53
4.2.3.	Regular Project Updates	54
4.3.	Environmental Management Plan Consultation	55
4.4.	Regional Participation and Cooperation.....	56
5.	Fish and Fish Habitat	58
5.1.	Fisheries Act Authorization Overview	59
5.1.1.	FAA1 – Workforce Accommodation Centre	61
5.1.2.	FAA2 – LNG Facility	63
5.1.3.	FAA3 – Supporting Infrastructure.....	65
5.1.4.	FAA – Marine.....	66
5.2.	Reportable Incidents.....	69
5.3.	Marine Program	69
5.3.1.	In-Water Construction Activities.....	69
5.3.2.	Water Quality.....	71
5.3.3.	Marine Mammals.....	72
5.4.	Freshwater Fish and Amphibian Program.....	74
5.4.1.	Isolation of Construction Activities	74
5.4.2.	Fish Salvage and Relocation	75
5.4.3.	Amphibian Salvage and Relocation	75
5.4.4.	Supporting Activities (Construction)	75

6.	Wetlands	79
6.1.	Wetland Protection Mitigations	79
6.2.	Wetland Compensation Plan.....	80
	6.2.1. Implementation and Effectiveness Monitoring	82
7.	Migratory Birds	85
7.1.	Osprey	87
7.2.	Marbled Murrelet	87
7.3.	Reportable Events	88
8.	Human Health	89
8.1.	Noise Complaints.....	89
8.2.	Marine Water and Sediment Quality	90
9.	Current Use of Lands and Resources for Traditional Purposes	91
9.1.	Archaeological and Heritage Resources Management Plan	91
9.2.	Marine Resources	92
10.	Emergency Preparedness and Response	94
10.1.	Emergency Response and Notification	95
10.2.	Communication Strategy	96

Executive Summary

LNG Canada Development Inc. (LNG Canada) is building a liquefied natural gas (LNG) export facility (the LNG Canada Project) located in northwest British Columbia, in the District of Kitimat and in the traditional territory of the Haisla Nation. The LNG Canada Project is comprised of a LNG facility and supporting infrastructure, including LNG storage and marine loading facilities, and temporary construction-related infrastructure and facilities.

The LNG Canada Project represents a unique opportunity for British Columbia and Canada. The LNG Canada Project will convert Canada's abundant supply of natural gas to LNG for export to global markets. The LNG Canada Project has adopted best-in-class technologies, is using state-of-the-art design and engineering practices.

On June 17, 2015, LNG Canada received the Decision Statement from the Canadian Environmental Assessment Agency (now known as the Impact Assessment Agency of Canada (IAAC)) that established conditions that the LNG Canada Project must comply with. The Decision Statement was amended on April 6, 2021, revising existing conditions related to marine mammals. This Annual Report provides information and updates related to the Decision Statement conditions for the period April 1, 2022, to March 31, 2023 (known as the reporting year).

The LNG Canada Project is being executed by LNG Canada, JGC Fluor BC LNG Joint Venture (JFJV), and various subcontractors. LNG Canada's Engineering, Procurement, and Construction (EPC) Contractor, JFJV, is responsible for implementation of environmental programs and controls identified in permits, approvals, authorizations, and associated management plans during construction. JFJV is also supporting LNG Canada on select deliverables to prepare for operations; hand-over from JFJV to LNG Canada will occur prior to commencement of operations. LNG Canada is also overseeing select portions of work, outside of JFJV scope.

1. Management Systems

The LNG Canada Project is committed to executing a high standard of environmental management and compliance in all its activities. The LNG Canada Project Health, Safety, Security, and Environmental Management System (HSSE MS) provides a systematic HSSE structure composed of a framework, policies, standards, guidelines, premises, specific plans, procedures, and processes. The LNG Canada Project's Compliance Management System for execution, a component of the LNG Canada HSSE MS, details processes that are in place to ensure the conditions of the IAAC Decision Statement are documented, tracked, and actioned.

LNG Canada continually re-evaluates mitigation and monitoring measures throughout construction to verify that construction activities remain in compliance with regulatory requirements and conform to LNG Canada commitments and implements adaptive management as appropriate.

During the construction phase, JFJV oversees the implementation of its Environmental Monitor (EM) Program; JFJV Environmental Specialists perform EM activities for most of the Project, including retaining the services of a Qualified Environmental Professional (QEP) to monitor construction activities and assess the effectiveness of mitigations on an ongoing basis. EMs have the authority to stop work in cases where mitigations are not sufficient and in cases of non-compliance. EM activities are also undertaken by qualified LNG Canada environmental professionals and contractors.

2. Activities within the Reporting Year

Construction activities during this reporting year included (but are not limited to) the site “going vertical”, with the delivery and installation of equipment, substations, and modules, facilitated by the operations of the Material Offloading Facility (MOF).

The operations activities during this reporting year were associated with planning/preparation tasks, including technical assessments and modelling to support the development of permit applications.

No decommissioning activities took place at the LNG Canada Project site during the reporting year.

3. Community and Indigenous Groups Communications and Consultation

The LNG Canada Project has committed to transparent, frequent communications and consultation with Indigenous Groups and the local communities (Kitimat and Terrace). The input and feedback received has been a vital component of the LNG Canada Project. The LNG Canada Project’s communications and engagement program is premised on early engagement to facilitate an adaptive management approach, where comments, concerns, and questions can be received and responded to. Information is shared and input sought through a range of initiatives – website, InFocus newsletter, social media (Facebook, Twitter, and LinkedIn), telephone line and email, and open houses. The above information sharing initiatives have been designed with input from Indigenous Groups, stakeholders, and residents.

The LNG Canada Project continues to adhere to the Community Feedback Process to provide an ongoing and transparent means for the community to raise questions, concerns, and grievances, and have them addressed in a timely and consistent manner.

The LNG Canada Project is committed to ensuring Indigenous Groups that may be impacted by the Project are engaged and consulted on applicable processes, activities, permits, and conditions. LNG Canada’s Senior Indigenous Relationship Leads for each Indigenous Group provide a single point-of-contact. During the reporting year, Indigenous Groups were consulted during the updates to several LNG Canada Project plans and processes.

4. Conditions Performance

The landscape surrounding the LNG Canada Project contains a range of terrestrial, aquatic and wetland habitats that support populations of wildlife and fish. These ecosystems are important not only to the health of the natural landscape, but also to residents and Indigenous Groups who rely on the environment for recreation and traditional use.

A) Fish and Amphibian Habitat and Salvage

The LNG Canada Project holds four authorizations under the Fisheries Act; three for freshwater (known as “FAA1”, “FAA2”, and “FAA3”); and one for the marine environment.

Works or modifications to the fish habitat offsets (WAC Pond 1) related to Fisheries Act Authorization 15-HPAC-00918 for the Workforce Accommodation Centre (“FAA1”) occurred during the reporting year. LNG Canada engaged with required stakeholders, including DFO and the District of Kitimat, to secure the Sumgas Creek restoration project to complete the offsetting requirements.

Authorized maintenance/repair works associated with 16-HPAC-00220 (“FAA2”) occurred in the Kitimat River Side Channel (KRSC) North and the Anderson Creek Realignment Channel was completed. Assessment of the Anderson creek fishway occurred and plans are being developed to implement improvements for the 2023 instream work window. Effectiveness monitoring for the reporting year consisted of Moore Creek Dyke Breach, Anderson Creek Realignment, Beaver Creek Realignment, Anderson Creek Fishway, Anderson Creek Side Channel, WAC (CVL) Pond 3, KRSC North and Salt Marsh Restoration area. Maintenance activities consisting of woody debris removal were conducted at the Kitimat River Side Channel Inlet culvert 3.

Activities associated with FAA 16-HPAC-01079 (“FAA3”) within the reporting year included the River Water Intake (RWI) and RWI Pipeline, and the LNG Loading Line trestle construction. Effectiveness monitoring associated with FAA 3 within the reporting year consisted of Moore Creek Side Channel and WAC (CVL) Pond 2.

Mitigation measures outlined in the marine FAA 15-HPAC-00585 (“FAA Marine”) and related application were adhered to during the dredge season. A qualified EM was present during all in-water construction activities and dredging. Both in-water vibratory and impact-hammer piling was undertaken during the reporting year; vibro-hammers were primarily used, with impact piling used when required due to geotechnical reasons. Monitoring for underwater noise, water quality and marine mammals through the Marine Mammal Observers (MMO) program was undertaken for all in-water works, as required.

During the reporting year, fish salvage and relocation occurred during the isolation of various waterways to support diversions and site maintenance/repair activities. During the reporting year, an approximate total of 192,222 fish were salvaged from the salvage areas. Fish species varied depending on the habitat types salvaged, and included salmonids, and Stickleback. During the

reporting year, amphibian salvage and relocation also occurred; approximately 138,961 amphibians were salvaged, which included the Western Toad, Long-toed Salamander and Northwestern Salamander. All salvaged fish and amphibians were released into habitat of a similar type and quality, with consideration of future construction and salvage efforts to minimize double handling of species.

During the reporting year, there was one event reported associated with the Fisheries Act.

B) Wetlands

Within the reporting year, LNG Canada completed the annual adjacent wetland assessment, and no adverse effects to adjacent wetlands resulting from construction were identified.

All the compensation wetlands were constructed and operational in 2021. Effectiveness monitoring was completed on a wide range of habitats, including CVL Pond 1 & 2, Anderson Creek off-channel, Beaver Creek off-channel, and Minette Bay salt marshes.

C) Migratory Birds

During the reporting year, clearing activities were limited. When clearing took place during bird breeding windows, pre-disturbance bird surveys were completed to ensure that no potentially active nests were present within the active construction area, and any identified nests were subsequently protected by implementing buffer zones. Active nests are monitored from a distance to confirm and track the status and ensure that construction activities in the vicinity do not impact nesting or fledging. The buffer can only be removed once the QEP has determined that the nest is no longer active, and no other nests exist.

During the reporting year, 24 pre-disturbance bird nest surveys were completed for the LNG Canada Project. Across the Project, 20 active nests were identified through a mix of pre-disturbance bird nest surveys and worker and environmental monitor identification on various Project infrastructure. There was no removal of potential high or moderate marbled murrelet habitat during the reporting year.

During the reporting year, there were three self-disclosures to Environment and Climate Change Canada/Canadian Wildlife Service related to migratory birds.

D) Human Health

The LNG Canada Project is committed to managing noise and air emissions during activities and has taken steps to implement mitigations as appropriate through the development and implementation of Environmental Management Plans. There was one noise complaint received within the reporting year; however, upon further investigation, it was determined not to be attributed to Project activities.

E) Archaeological and Heritage Resources

The LNG Canada Project has identified one area of archaeological or cultural significance, which was relocated in the previous reporting year. There were no chance finds during the reporting year.

F) Accidents or Malfunctions

There were no accidents or malfunctions at the LNG Canada Project during the reporting year.

Acronyms/Abbreviations

ACSC	Anderson Creek Side Channel
AIA	Archaeological Impact Assessment
AIS	Automatic Identification System
BAT	Best Available Technology
BC	British Columbia
BC-ER	BC Energy Regulator
CCME	Canadian Council of Ministers of the Environment
CEAA	Canadian Environmental Assessment Act, 2012
CAP	Cultural Awareness Program
CCT	Consultation Comment Tracker
CEMP	Construction Environmental Management Plan
CLISMP	Community Level Infrastructure and Services Management Plan
CMS	Compliance Management System
CVL	Cedar Valley Lodge
CWS	Canada Wildlife Service
DAS	Disposal at Sea
DDS	Dredgeate Disposal Site
DEMP	Dredge Environmental Management Plan
DFO	Fisheries and Oceans Canada
DMR	Dual Mixed Refrigerant
EAC	Environmental Assessment Certificate (BC)
EAO	Environmental Assessment Office (BC)
ECCC	Environment and Climate Change Canada
EM	Environmental Monitor
EMP	Environmental Management Plan
EPC	Engineering, Procurement and Construction
ERP	Emergency Response Plan
ESC	Erosion and Sediment Control
EWP	Environmental Work Plan
FAA	Fisheries Act Authorization

FAA1	Fisheries Act Authorization – LNG Canada Workforce Accommodation Centre (15-HPAC-00918)
FAA2	Fisheries Act Authorization – LNG Processing Facility (16-HPAC-00220)
FAA3	Fisheries Act Authorization – Supporting Infrastructure (16-HPAC-01079)
FAA Marine	Fisheries Act Authorization – LNG Canada (15-HPAC-00585)
FID	Final Investment Decision
FOR	Ministry of Forests (BC)
Ha	Hectare
HCA	Heritage Conservation Act (BC)
HIP	Heritage Inspection Permit
HSSE	Health, Safety, Security, and Environment
HSSE MS	HSSE Management System
HSSE & SP	HSSE and Social Performance
IAAC	Impact Assessment Agency of Canada (formerly Canada Environmental Assessment Agency)
ICS	Incident Command System
IEE	Integrated Engineering Environment
IFC	Issued for Construction
IL-	Below Industrial Land Use Criteria (in context of dredgeate handling)
IL+	Above Industrial Land Use Criteria (in context of dredgeate handling)
JFJV	JGC Fluor BC LNG Joint Venture (LNG Canada EPC Contractor)
KRSC	Kitimat River Side Channel
LNG	Liquefied Natural Gas
LNG Canada	LNG Canada Development Inc.
MAP	Marine Activities Plan
MATMP	Marine Access Traffic Management Plan
MCSC	Moore Creek Side Channel
MMEZ	Marine Mammal Exclusion Zone
MMO	Marine Mammal Observer / Marine Mammal Observation
MMP	Marine Monitoring Plan
MOF	Material Offloading Facility
OGC	Oil and Gas Commission (BC) (now known as the BC Energy Regulator)
OPP	Oceans Protection Plan

PRC	Project Resources Centre
Project	LNG Canada Export Terminal Project
QEP	Qualified Environmental Professional
RDKS	Regional District of Kitimat-Stikine
RWI	River Water Intake
SHHR	South Heavy Haul Road
SMR	Social Management Roundtable
STL	Shovel Test Location
TSS	Total Suspended Solids
WAC	Workforce Accommodation Centre

Concordance Table

Section Topic	Description	Clause	Sub clause	Report Section
Decision on environmental effects referred to in subsection 5(1) of CEAA 2012	In accordance with paragraph 52(1)(b) of CEAA 2012, after considering the report of the EAO on the Designated Project and the implementation of mitigation measures that I consider appropriate, I determined that the Designated Project is not likely to cause significant adverse environmental effects referred to in subsection 5(2) of CEAA 2012. In accordance with subsection 53(2) of CEAA 2012, I have established the conditions below in relation to the environmental effects referred to in subsection 5(2) of CEAA 2012, with which LNG Canada Development Inc. must comply.	NA	NA	1.0
Decision on environmental effects referred to in subsection 5(1) of CEAA 2012	These conditions are established for the sole purpose of the Decision Statement issued under the Canadian Environmental Assessment Act, 2012. They do not relieve the Proponent from any obligation to comply with other legislative or other legal requirements by the federal, provincial or local governments. Nothing in this Decision Statement shall be construed as reducing, increasing, or otherwise affecting what may be required to comply with all applicable legislative or other legal requirements.	NA	NA	1.0 3.1
General Conditions	The Proponent shall, throughout all phases of the Designated Project, ensure that its actions in meeting the conditions set out in this Decision Statement are informed by the best available information and knowledge, are based on validated methods and models, are undertaken by qualified individuals, and have applied the best available economically and technologically feasible strategies.	2.1	2.1	1.1 1.2 2.0 2.1 2.2
General Conditions	The Proponent shall, where consultation is a requirement of a condition set out in this Statement: <ul style="list-style-type: none"> provide written notice of the opportunity for the party or parties to present their views on the subject of the consultation; provide sufficient information and a reasonable period of time to permit the party or parties to prepare their views; provide a full and impartial consideration of any views presented; and advise the party or parties that have provided comments on how the views and information received have been considered. 	2.2	2.2.1	4.2
General Conditions	The Proponent shall, where consultation with Aboriginal groups is a requirement of a condition set out in this Decision Statement, and prior to the initiation of consultation, communicate with each Aboriginal group on the most appropriate manner in which to satisfy the consultation requirements referred to in condition 2.2.	2.3	2.3	4.3

Section Topic	Description	Clause	Sub clause	Report Section
General Conditions	<p>The Proponent shall, where a follow-up program is a requirement of a condition set out in this Decision Statement:</p> <ul style="list-style-type: none"> undertake monitoring and analysis to verify the accuracy of the environmental assessment as it pertains to the condition and/or to determine the effectiveness of any mitigation measure(s); where the results of the monitoring and analysis indicate issues with respect to the accuracy of the environmental assessment or the effectiveness of any mitigation measures that may lead to adverse environmental effects, identify the means by which it will determine whether additional mitigation measures are required, including the need for consultation with other parties in reaching that determination; and implement additional mitigation measures, as appropriate 	2.4	2.4.1 2.4.2 2.4.3 2.4.4	3.4
General Conditions	<p>The Proponent shall, from the reporting year where construction starts, submit to the Agency an annual report, including an executive summary of the annual report in both official languages. The annual report is to be submitted by the Proponent no later than June 30 following the reporting year. The Proponent shall document in the report:</p> <ul style="list-style-type: none"> implementation activities undertaken in the reporting year for each of the conditions; how it has considered and incorporated the factors set out in condition 2.1 in the implementation of the conditions set out in this Decision Statement; for conditions set out in this Decision Statement for which consultation is a requirement, how it has considered any views and information received during or as a result of the consultation; the results of the follow-up program requirements identified in conditions 3.14 , 4.2.4, 2.5.4,4.5, 5.3, 6.3.6 and 7.2; and any additional mitigation measures implemented or proposed to be implemented, as determined under condition 2.4 	2.5	2.5.1 2.5.2 2.5.3 2.5.4 2.5.5	1.4
General Conditions	<p>The Proponent shall publish on the Internet, or any similar medium, the annual report, the executive summary referred to in condition 2.5, the Wetland Compensation Plan referred to in condition 4.3, the plan to offset the loss of fish and fish habitat referred to in condition 3.11, the Archaeological and Heritage Resources Management Plan referred to in condition 8.1, the Decommissioning Plan referred to in condition 9.1, and the implementation schedule referred to in condition 11, following submission of these documents to the parties referenced in the respective conditions. The Proponent shall keep these documents publicly available for twenty-five years following the end of operation or until the end of decommissioning of the Designated Project, whichever comes first.</p>	2.6	2.6	1.4 4.2.1
General Conditions	<p>The Proponent shall notify the Agency in writing no later than 60 days after the day on which there is a transfer of ownership, care, control or management of the Designated Project in whole or in part.</p>	2.7	2.7	1.5

Section Topic	Description	Clause	Sub clause	Report Section
General Conditions	In the event that there is a transfer of ownership, care, control or management of the Designated Project from LNG Canada Development Inc. to another party, that party becomes the Proponent of the Designated Project and is bound by the conditions found in this Decision Statement.	2.8	2.8	1.5
Fish and Fish Habitat	The Proponent shall implement erosion control measures and sediment control measures during all phases of the Designated Project.	3.1	3.1	5.0 5.4.4.1
Fish and Fish Habitat	The Proponent shall revegetate disturbed riparian areas, using native vegetation, as soon as practicable after construction.	3.2	3.2	5.0 5.4.4.2
Fish and Fish Habitat	The Proponent shall isolate construction activities from adjacent freshwater fish habitat.	3.3	3.3	5.0 5.4.1
Fish and Fish Habitat	The Proponent shall salvage and relocate fish during in-water work requiring isolation of freshwater fish habitat.	3.4	3.4	5.0 5.4.2
Fish and Fish Habitat	The Proponent shall design the water intake for the Designated Project to avoid or reduce injury to and mortality of fish, including the risk of entrainment of eulachon larvae. The Proponent shall install the water intake that is so designed and shall monitor the operation of that intake to determine whether or not injury to and mortality of fish is avoided or reduced. Based on the monitoring results, the Proponent shall, as appropriate, modify the water intake or implement other measures to avoid or reduce injury to and mortality of fish.	3.5	3.5	5.0
Fish and Fish Habitat	The Proponent shall apply low-noise methods or sound dampening technologies to reduce adverse effects to fish from exposure to underwater noise during pile installation. In doing so, the Proponent shall: <ul style="list-style-type: none"> minimize impulsive noise emitted by construction activities, including by giving preference to the use of vibratory pile-driving over impact pile-driving unless not technically feasible; report annually the occurrence(s) when impact pile-driving was implemented including a description of why vibratory pile driving was not technically-feasible; and use sound attenuation device(s) when impact pile-driving underwater. 	3.6	3.6	5.3
Fish and Fish Habitat	The Proponent shall, prior to the start of in-water construction activities; establish the location and timing of sensitive life stages and habitat occupancy for fish (including marine mammals) in consultation with Fisheries and Oceans Canada and Aboriginal groups; advise the Agency of that information; and shall conduct in-water construction activities during the timing windows of least risk to those life stages and habitat occupancy, unless otherwise authorized by Fisheries and Oceans Canada.	3.7	3.7	5.3

Section Topic	Description	Clause	Sub clause	Report Section
Fish and Fish Habitat	When conducting in-water construction activities outside the timing windows of least risk referred to in condition 3.7, the Proponent shall implement additional mitigation measures following consultation with Fisheries and Oceans Canada, including sediment containment when dredging and using sediment disposal methods and equipment that will limit re-suspension of sediments.	3.8	3.8	5.3
Fish and Fish Habitat	<p>To avoid detrimental behavioral change in or injury to marine mammals, the Proponent shall implement a marine mammal detection and response plan during all construction activities that pose a risk to marine mammals. In doing so, the Proponent shall:</p> <ul style="list-style-type: none"> • identify the construction activities that generate underwater noise levels greater than 160 and 180 decibels at a reference pressure of one micropascal and the periods of time when those activities will occur; • for cetaceans, establish the boundary of the exclusion zone for each construction activity identified in condition 3.9.1 at the distance from the activity that the underwater noise level reaches 160 decibels; • for all other marine mammals, including pinnipeds, establish the boundary of the exclusion zone for each construction activity identified in condition 3.9.1 at the distance from the activity that the underwater noise level reaches 180 decibels or at a distance of 150 meters, whichever is the greatest distance; • employ a marine mammal observer and specify the role of that person in observing and reporting marine mammals in the exclusion zone during construction activities identified in conditions 3.9.2 and 3.9.3 during construction activities identified in condition 3.9.1; • stop construction activities identified in condition 3.9.1 if marine mammals are observed within the exclusion zone(s) or reasonably appear to be about to enter the exclusion zone(s) identified in condition 3.9.2 and 3.9.3; • start or restart activities only once it has been visually confirmed that the marine mammal(s) are not within the exclusion zone of if a minimum of 30 minutes has elapsed since the marine mammal was last sighted within the exclusion zone(s); and • specify mitigation measures, such as sound dampening technology and soft-start procedures to reduce construction noise levels in the exclusion zone. 	3.9	3.9.1 3.9.2 3.9.3 3.9.4 3.9.5	5.3
Fish and Fish Habitat	LNG carriers associated with the Designated Project shall respect speed profiles applicable to the operation of the Designated Project, subject to navigational safety, to prevent or reduce the risks of collisions between LNG carriers and marine mammals and shall report any collision with marine mammals to Fisheries and Oceans Canada, and notify Aboriginal groups.	3.10	3.10	5.3

Section Topic	Description	Clause	Sub clause	Report Section
Fish and Fish Habitat	The Proponent shall mitigate impacts to fish and fish habitat and, in consultation with Fisheries and Oceans Canada, develop and implement a plan to offset the loss of fish and fish habitat associated with the carrying out of the Designated Project.	3.11	3.11	5.1
Fish and Fish Habitat	For any fish habitat offsets area proposed in any offsetting plan under condition 3.11, and prior to submitting the offsetting plan to Fisheries and Oceans Canada, the Proponent shall determine whether there are adverse effects: <ul style="list-style-type: none"> • on migratory birds and their habitats; • on terrestrial species, including amphibians and reptiles, and their habitats; • on species at risk and their habitat; • on the current use of lands and resources for traditional purposes by Aboriginal peoples; • on navigation; • from potential sources of contamination including polycyclic aromatic hydrocarbons, dioxins, furans, copper and zinc on the receiving environment. 	3.12	3.12.1 3.12.2 3.12.3 3.12.4 3.12.5 3.12.6	5.1
Fish and Fish Habitat	The Proponent shall, if there are adverse effects on any of the elements of condition 3.12, avoid or lessen those adverse effects.	3.13	3.13	5.1
Fish and Fish Habitat	In consultation with Fisheries and Oceans Canada and Aboriginal groups, the Proponent shall develop and implement a follow-up program to verify the accuracy of the environmental assessment and to determine the effectiveness of mitigation measures identified under conditions 3.1 to 3.11 and 3.13.	3.14	3.14	5.1 5.3 5.4
Fish and Fish Habitat	The Proponent shall participate in regional initiatives relating to cumulative effects monitoring and the management of marine shipping, should there be any such initiatives during the construction and operation phases of the Designated Project.	3.15	3.15	4.5
Wetlands	The Proponent shall mitigate the adverse environmental effects of the Designated Project on wetland functions that support migratory birds, species at risk or the current use of lands and resources for traditional purposes by Aboriginal people. The Proponent shall give preference to avoiding the loss of wetlands over minimizing the adverse effects on wetlands and for managing the effects on wetlands over compensating for lost or adversely affected wetlands.	4.1	4.1	6.0 7.0

Section Topic	Description	Clause	Sub clause	Report Section
Wetlands	<p>To avoid loss of wetlands or to manage adverse effects on wetlands impacted by the Designated Project footprint and adverse effects on wetland function on and for those wetlands adjacent to the Designated Project footprint, the Proponent shall:</p> <ul style="list-style-type: none"> delineate clearing boundaries prior to the commencement of construction and respect those boundaries during construction; maintain, where practicable, tidal flow and wildlife passage in the LNG loading line corridor between the LNG processing and storage site and the marine terminal; manage surface water and avoid erosion or sedimentation to maintain hydrology of adjacent wetlands and protect water quality; and conduct follow-up monitoring prior to and during construction to detect potential unanticipated loss of wetland functions and implement adjustments to mitigate loss of those wetland functions. 	4.2	4.2.1 4.2.2 4.2.3 4.2.4	6.1
Wetlands	<p>For effects on ecologically important wetlands that cannot be avoided or minimized, mitigation measures shall be set out in a Wetland Compensation Plan that shall be prepared by the Proponent in consultation with Aboriginal groups. The mitigation measures to be set out in the Wetland Compensation Plan shall include:</p> <ul style="list-style-type: none"> implementing a 2:1 ratio of compensation area to the loss of ecologically important wetland area; identifying sites to compensate for the lost wetlands referred to in 4.3.1, that are as close to Kitimat as possible and that reflect similar wetland types and functions to those that are lost; a preference for wetland restoration over enhancement, and wetland enhancement over creation; and whenever possible, using traditional plants in the enhancement or creation of the compensation sites referred to in 4.3.2 and providing access to those sites to Aboriginal people for the purposes of gathering traditional use plants. 	4.3	4.3.1 4.3.2 4.3.3 4.3.4	6.2
Wetlands	The Proponent shall implement the wetland compensation plan within five years of the date of the start of construction	4.4	4.4	6.2
Wetlands	The Proponent shall implement a follow-up program to verify that the compensation wetland sites are fulfilling the functions of the wetlands they are replacing and shall implement corrective actions in respect of the compensation wetlands if the latter do not fulfill those functions. The follow-up program shall include monitoring of the compensatory wetland sites to verify that lost habitat is being restored at or on those sites, in year one, and in years three, five, and ten following the enhancement or creation of the compensating wetlands.	4.5	4.5	6.2

Section Topic	Description	Clause	Sub clause	Report Section
Migratory Birds	The Proponent shall carry out all phases of the Designated Project in a manner that protects and avoids harming, killing or disturbing migratory birds or destroying or taking their nests or eggs. In this regard, the Proponent shall take into account Environment Canada's Avoidance Guidelines. The Proponent's actions in applying the Avoidance Guidelines shall be in compliance with the Migratory Birds Convention Act, 1994 and with the Species at Risk Act.	5.1	5.1	7.0
Migratory Birds	The Proponent shall: <ul style="list-style-type: none"> restrict flaring of vented emissions to the minimum required for maintenance activities or to manage emergencies; minimize flaring during night time and during periods of bird vulnerability; and adjust operational lighting to avoid attracting migratory birds. 	5.2	5.2.1 5.2.2 5.2.3	7.0
Migratory Birds	The Proponent shall develop and implement a follow-up program to determine the effectiveness of the mitigation measures used to avoid harm to migratory birds, their eggs and nests during all phases of the Designated Project.	5.3	5.3	7.0
Migratory Birds	The Proponent shall avoid or lessen, and monitor effects on the habitat of the Marbled Murrelet (<i>Brachyramphus marmoratus</i>), a species that appears on Schedule 1 of the Species at Risk Act. The Proponent shall compensate for the loss of habitat of the Marbled Murrelet as a result of the Designated Project, taking into account Environment Canada's Operational Framework for Use of Conservation Allowances.	5.4	5.4	7.2
Human Health	The Proponent shall incorporate noise and air emission reduction measures in the design of the Designated Project, and implement noise and air emission reduction measures during all phases of the Designated Project to avoid or reduce potential effects on human health, including: <ul style="list-style-type: none"> complying with the Waste Discharge Regulation under British Columbia's Environmental Management Act for operational air emissions; applying best management practices and guidance for construction noise from the British Columbia Oil and Gas Commission's Noise Control Best Practices Guidelines; and complying with the operational noise requirement of the British Columbia Oil and Gas Commission's Liquefied Natural Gas Facility Regulation. 	6.1	6.1.1 6.1.2 6.1.3	8.0
Human Health	The Proponent shall develop and implement a mechanism for receiving noise complaints, in consultation with Aboriginal groups and other parties who may be adversely affected by the noise caused by the Designated Project and during all phases of the Designated Project, and respond in a timely manner to any noise complaint received.	6.2	6.2	8.1

Section Topic	Description	Clause	Sub clause	Report Section
Human Health	<p>The Proponent shall implement measures related to marine water quality and sediment quality, including:</p> <ul style="list-style-type: none"> • prior to the commencement of dredging, establishing a shellfish and groundfish tissue baseline and using it to complete a human health risk assessment for the consumption of fish; • conducting an assessment of the risks and potential duration of any exceedances of Canadian Council of Ministers of the Environment’s Water Quality and Interim Sediment Quality Guidelines, and British Columbia’s Water Quality Guidelines and Working Sediment Quality Guidelines that could occur during dredging and other in-water construction activities, and identify mitigation measures to avoid such exceedances; • implementing mitigation measures to minimize sediment dispersion during in-water construction activities, including isolation methods; • conducting onsite sediment and water quality monitoring in relation to the re-suspension and bioavailability of polycyclic aromatic hydrocarbons, dioxins and furans during in-water construction activities; • communicating any exceedances of the Canadian Council of Ministers of the Environment’s Water Quality and Interim Sediment Quality Guidelines, and British Columbia’s Water Quality Guidelines and Working Sediment Quality Guidelines to regulatory authorities in accordance with legislative requirements and to Aboriginal groups, and implementing mitigation measures identified in condition 6.3.2 to remedy those exceedances or to reduce associated risks to human health; • developing and implementing a post-dredging follow-up program, in consultation with Aboriginal groups, to confirm the human health risk assessment predictions, including additional sampling of the shellfish and groundfish tissue to confirm the assessment predictions regarding the bioavailability and bioaccumulation of contaminants in fish consumed by humans. The Proponent shall communicate the results of the follow-up program to Aboriginal groups. 	6.3	6.3.1 6.3.2 6.3.3 6.3.4 6.3.5 6.3.6	8.2
Human Health	<p>The Proponent shall, during operation, treat any effluent discharge from the facility marine outfall pipe to meet subsection 36(3) of the Fisheries Act and British Columbia’s Water Quality Guidelines for the protection of marine life measured at the edge of the initial dilution zone.</p>	6.4	6.4	8.2

Section Topic	Description	Clause	Sub clause	Report Section
Current use of lands and resources for traditional purposes	<p>The Proponent shall develop and implement, in consultation with Aboriginal groups, a communication protocol for all phases of the Designated Project. The communication protocol shall include procedures and practices for sharing information and facilitating communication between the Proponent and the Aboriginal groups and other local marine users on the following:</p> <ul style="list-style-type: none"> • location and timing of Designated Project-related construction activities; • location and timing of traditional activities by Aboriginal groups; • safety procedures, such as navigation aids and updated navigational charts; • location of areas where navigation is restricted for safety reasons; • operational speed requirements under the Canada Shipping Act, 2001 or its regulations, and general schedules of the operation of LNG carriers associated with the Designated Project; • ways in which to provide feedback to the Proponent on adverse effects related to navigation experienced by Aboriginal groups and other local marine users. 	7.1	7.1.1 7.1.2 7.1.3 7.1.4 7.1.5 7.1.6	9.0 9.1 9.2
Current use of lands and resources for traditional purposes	<p>The Proponent shall develop and implement, in consultation with Aboriginal groups, a follow-up program to verify the accuracy of the predictions made during the environmental assessment in relation to the effects of the wake generated by the Designated Project on the current use of lands and resources for traditional purposes by Aboriginal groups.</p> <p>The follow-up program shall include:</p> <ul style="list-style-type: none"> • monitoring during the first two years of operation of the degree of wake generation by Designated Project-related vessels and of any adverse effects on harvesters caused by vessel wake attributable to Designated Project-related vessels at key harvest sites and during key harvest periods identified in consultation with Aboriginal groups; and • providing the results of the follow-up program and any corrective actions taken to Aboriginal groups. 	7.2	7.2.1 7.2.2	9.0
Current use of lands and resources for traditional purposes	The Proponent shall provide Aboriginal groups with the implementation schedule, updates or revisions to the implementation schedule pursuant to condition 11 at the same time these documents are provided to the Agency.	7.3	7.3	2.3

Section Topic	Description	Clause	Sub clause	Report Section
Physical and cultural heritage and structure, site or thing of historical, archaeological, paleontological or architectural significance	<p>The Proponent shall, in consultation with Aboriginal groups and local historical societies, develop and implement an Archaeological and Heritage Resources Management Plan for the Designated Project prior to construction. The Archaeological and Heritage Resources Management Plan shall take into account British Columbia’s Handbook for the Identification and Recording of Culturally Modified Trees. The Archaeological and Heritage Resources Management Plan shall include:</p> <ul style="list-style-type: none"> • a description of structures, sites or things of historical, archaeological, paleontological or architectural significance (including Culturally Modified Trees) that may be encountered by the Proponent during construction; • a description of structures, sites or things of historical, archaeological, paleontological or procedures and practices for on-site monitoring of construction activities that may affect a structure, site or thing of historical, archaeological, paleontological or architectural significance (including Culturally Modified Trees) and for the identification and removal of these resources; and • a Chance Find Protocol if a previously unidentified structure, site or thing of historical, archaeological, paleontological or architectural significance (including Culturally Modified Trees) is discovered by the Proponent or brought to the attention of the Proponent by an Aboriginal group or another party during construction. 	8.1	8.1.1 8.1.2 8.1.3	9.0

Section Topic	Description	Clause	Sub clause	Report Section
Decommissioning	<p>The Proponent shall develop and submit to the Agency a Decommissioning Plan at least one year prior to the end of operation, consistent with any statutory or regulatory requirements in effect at that time. The Decommissioning Plan shall include a description of:</p> <ul style="list-style-type: none"> any consultation undertaken during the development of the Decommissioning Plan, including any issues raised by Aboriginal groups and other parties and how they were resolved by the Proponent; the components of the Designated Project that will be decommissioned by the Proponent; the desired end-state objectives of the areas that will be decommissioned by the Proponent and those that will not be decommissioned; the components of the environment that may be adversely affected by decommissioning activities or by components of the Designated Project that continue in their state at the end of operation; how the Proponent will monitor and mitigate adverse environmental effects from decommissioning activities; how the Proponent will conduct in-water and land-based decommissioning activities (including the location, the scheduling and sequencing of activities); a strategy for progressive reclamation, if appropriate; and an approach to consulting Aboriginal groups and federal and provincial authorities throughout the decommissioning phase. 	9.1	9.1.1 9.1.2 9.1.3 9.1.4 9.1.5 9.1.6 9.1.7 9.1.8	2.4
Decommissioning	<p>The Proponent shall from the reporting year in which decommissioning begins until the end of decommissioning, submit to the Agency a written report no later than June 30 of the following reporting year. The written report shall include a description of:</p> <ul style="list-style-type: none"> the decommissioning activities that took place during the reporting year; any adverse environmental effects identified by the proponent with respect to those decommissioning activities; a description of the mitigation measures that were implemented by the Proponent to mitigate or reduce those adverse effects, and consultation activities. 	9.2	9.2.1 9.2.2 9.2.3 9.2.4	2.4
Accidents or Malfunctions	<p>The Proponent shall take all reasonable measures to prevent accidents and malfunctions that may result in adverse environmental effects and shall implement the emergency response procedures and contingencies developed in relation to the Designated Project.</p>	10.1	10.1	5.0

Section Topic	Description	Clause	Sub clause	Report Section
Accidents or Malfunctions	<p>In the event of an accident or malfunction with the potential to cause adverse environmental effects, the Proponent shall:</p> <ul style="list-style-type: none"> • notify relevant federal and provincial authorities, including the Agency of the occurrence as soon as possible; • implement measures to minimize any adverse environmental effects associated with the occurrence as soon as possible; • submit a written report to the Agency as soon as possible in the circumstances, but at the latest 30 days after the day on which the accident or malfunction took place. The written report must include: <ul style="list-style-type: none"> ○ the measures that were taken to mitigate the effects of the occurrence; ○ a description of any residual environmental effects, and any additional measures required to address residual environmental effects; and ○ if an emergency response plan was implemented, details concerning its implementation. • as soon as possible, but no later than 90 days after the day on which the accident or malfunction took place, submit a written report to the Agency on the changes made to avoid a subsequent occurrence of the accident or malfunction. 	10.2	10.2.1 10.2.2 10.2.3 10.2.4	10.1
Accidents or Malfunctions	<p>The Proponent shall prepare and implement a communication strategy in consultation with Aboriginal groups that shall include:</p> <ul style="list-style-type: none"> • the types of accident or malfunction requiring a notification to the respective Aboriginal groups; • the manner by which Aboriginal groups shall be notified of an accident or malfunction and of any opportunities to assist in the response; and • points of contact for the Proponent and for the respective Aboriginal groups. 	10.3	10.3.1 10.3.2 10.3.3	10.2
Implementation Schedule	<p>The Proponent shall submit an implementation schedule for conditions contained in this Decision Statement to the Agency, or anyone designated pursuant to section 89 of the Canadian Environmental Assessment Act, 2012, at least 30 days prior to construction. The implementation schedule shall indicate the commencement and completion dates for each activity relating to conditions set out in this Decision Statement.</p>	11.1	11.1	2.3
Implementation Schedule	<p>The Proponent shall submit an update to this implementation schedule in writing to the Agency, or anyone designated pursuant to section 89 of the Canadian Environmental Assessment Act, 2012, every two years on or before June 30, until completion of the activities.</p>	11.2	11.2	2.3

Section Topic	Description	Clause	Sub clause	Report Section
Implementation Schedule	The Proponent shall provide the Agency, or anyone designated pursuant to section 89 of the Canadian Environmental Assessment Act, 2012, with a revised implementation schedule if any change occurs from the initial schedule or any subsequent updates. The Proponent shall provide the revised implementation schedule at least 30 days prior to the implementation of the change.	11.3	11.3	2.3
Record Keeping	<p>The Proponent shall maintain a written record, or a record in an electronic format compatible with that used by the Agency, and retain and make available that record to the Agency, or anyone designated pursuant to section 89 of the Canadian Environmental Assessment Act, 2012, at a facility close to the Designated Project (local facility). The record shall include information related to the implementation of the conditions set out in this Decision Statement, and the results of all monitoring, including:</p> <ul style="list-style-type: none"> the place, date and time of any sampling, as well as techniques, methods or procedures used; the dates and the analyses that were performed; the analytical techniques, methods or procedures used in the analyses; the names of the persons who collected and analyzed each sample and documentation of any professional certifications relevant to the work performed that they might possess; and the results of the analyses. 	12.1	12.1.1 12.1.2 12.1.3 12.1.4 12.1.5	3.5
Record Keeping	The Proponent shall retain and make available upon demand to the Agency, or anyone designated pursuant to section 89 of the Canadian Environmental Assessment Act, 2012, the information contained in condition 12.1 at a facility close to the Designated Project (or at a location within Canada and agreed upon by the Agency, should the local facility no longer be maintained). The information shall be retained and made available throughout construction and operation, and for twenty-five years following the end of operation or until the end of decommissioning of the Designated Project, whichever comes first.	12.2	12.2	3.5

1. Introduction

LNG Canada Development Inc. (LNG Canada) is building a liquefied natural gas (LNG) export facility (the LNG Canada Project) located in northwest British Columbia (B.C.), in the District of Kitimat and on the traditional territory of the Haisla Nation. The LNG Canada Project is comprised of a LNG facility and supporting infrastructure, including LNG storage and marine loading facilities, and temporary construction-related infrastructure and facilities. The LNG Canada Project is committed to planning, constructing, and operating the Project in a manner that respects surrounding communities and the environment.

On June 17, 2015, LNG Canada received the Decision Statement under Section 52(1)(b) of the Canadian Environmental Assessment Act, 2012 (“IAAC Decision Statement”) from the Canadian Environmental Assessment Agency (now known as the Impact Assessment Agency of Canada (IAAC)). The IAAC Decision Statement established conditions to which the LNG Canada Project must comply. This annual report serves to provide information and updates related to those conditions.

LNG Canada applied for an amendment to its IAAC Decision Statement on August 19, 2020, to amend the language of Condition 3.9 to reflect Project-specific and taxonomy-specific (cetaceans and pinnipeds) environmental protection measures for marine mammals during approved marine construction activities. LNG Canada shared the Draft Amendment with all Indigenous Groups for review and feedback in July 2020. The amendment application was approved by IAAC on April 6, 2021, after completion of a public and Indigenous consultation period. LNG Canada advised all Indigenous Groups in April 2021 that LNG Canada had received the IAAC Decision Statement Amendment.

1.1. Project Overview

The LNG Canada Project is located on approximately 400 hectares of land within the District of Kitimat, on land zoned for industrial use. The LNG Canada facility will be comprised of a variety of buildings and equipment used to process and store LNG. Supporting infrastructure will also be in place, including power supply, water supply, and waste collection and treatment facilities.

The LNG Canada Project is located in the traditional territory of the Haisla Nation and the associated Operational shipping route passes through the traditional territories of Haisla Nation, Gitga’at First Nation, Gitxaala Nation, Kitselas First Nation, Kitsumkalum First Nation, Lax Kw’alaams First Nation and Metlakatla First Nation.

Initially, the LNG Canada Project will consist of two LNG processing units referred to as “trains”, with an option to expand to four trains in the future. The LNG Canada Project is expected to have a life of at least 40 years.

To facilitate construction, existing and temporary facilities will be utilized. Cedar Valley Lodge (CVL), the LNG Canada Project temporary workforce accommodation centre (WAC), houses construction staff on approximately 64 hectares of land immediately adjacent to the LNG processing and storage site.

On July 11, 2016, LNG Canada announced a delay in Final Investment Decision (FID) with the hope of achieving FID in late 2018. Throughout 2018, LNG Canada was focused on completing necessary works in the event of a positive FID, which occurred in October 2018.

In early 2019, LNG Canada's Engineering, Procurement and Construction (EPC) Contractor, JGC Fluor BC LNG Joint Venture (JFJV), took over primary responsibility for implementation of environmental programs and controls identified in permits, approvals, authorizations and associated management plans during construction. LNG Canada is also overseeing select portions of work, outside of the JFJV scope. Therefore, the LNG Canada Project is currently being executed by LNG Canada, JFJV, and various subcontractors.

JFJV is also supporting LNG Canada on select deliverables to prepare for future operations, including development of management plans and acquisition of required permits. Hand-over of site control from JFJV to LNG Canada will occur prior to commencement of operations.

This Annual Report provides further information on the processes and mitigations put in place by the LNG Canada Project to ensure that Project activities are carried out in accordance with regulatory conditions.

1.2. Best Achievable Technology

The LNG Canada Project is committed to ensuring that processes in place to meet conditions of the IAAC Decision Statement are informed by the best achievable technology (BAT) and based on validated methods and models. Commitments to BAT are demonstrated in several ways through design and execution of the LNG Canada Project. Examples include:

- Use of existing infrastructure, such as BC Hydro supplied grid with hydroelectric power output for auxiliary power requirements to ensure the lowest feasible greenhouse gas footprint;
- Shell's Dual-Mixed Refrigerant (DMR) technology process in combination with high efficiency General Electric aero derivative gas turbines (LMS 100) and recovery of waste heat;
- Use of existing industrial development area for the LNG Plant site and refurbishing existing harbour infrastructure where feasible during marine construction;
- Adoption of best-in-class LNG Plant simplicity, utilizing the lowest equipment count per LNG capacity;

- Implementation of mitigations and associated sampling programs that prescribe to the most up-to-date standards and methods recognized by government and industry;
- Implementation of an Integrated Engineering Environment (IEE) for plant design to minimize process safety risks throughout the life of the Project;
- Implementation of a Flawless Project Delivery program, focused on a pro-active approach to mitigate flaws, and help ensure a flawless startup of the plant; and
- Adoption of state-of-the-art design and engineering practices that exceed requirements laid out in legislation.

1.3. HSSE, Social Performance and Compliance Principles

Environmental responsibilities for the LNG Canada Project are led under the Health, Safety, Security, and Environment (HSSE) program. The LNG Canada Project is committed to a high standard of environmental management and compliance through all phases of the Project. The Environmental Philosophy is to protect the environment by minimizing potential impacts. The LNG Canada Project commits to compliance with existing regulations, permits, approvals, authorizations, and related management plan requirements, and to align environmental, community and social performance commitments into engineering design and construction decisions.

The LNG Canada Project has implemented a Project-specific environmental management program that includes a series of environmental management plans (EMPs) to protect the environment, personnel, and the public. LNG Canada commits to publicly reporting on environmental and safety performance. Further information on this program is provided in Section 3.

1.4. Report Requirements

This IAAC Annual Report demonstrates the commitment that the LNG Canada Project has made to responsible health, safety, environment, and social performance throughout the life of the Project. It provides an overview of the progress on meeting conditions outlined in the IAAC Decision Statement.

As per the IAAC Decision Statement, for the purposes of this report, the reporting year is defined as April 1, 2022 to March 31, 2023.

The LNG Canada IAAC Annual Report can be accessed at the LNG Canada Project website (www.lngcanada.ca).

1.5. Transfer of Ownership

No transfer of ownership took place during the reporting year.

LNG Canada will notify IAAC no later than 60 days after a transfer of ownership, care, control, or management of the Designated Project as per *IAAC Decision Statement Condition 2.7* and *IAAC Decision Statement Condition 2.8*.

2. Project Activities Update

2.1. Construction Activities within the Reporting Year

Within the reporting year, restrictions related to the COVID-19 health pandemic were gradually lifted in line with federal and provincial guidelines, with all remaining restrictions lifted as of October 1, 2022. Refer to the 2021-2022 Annual Report for further information on the significant amount of effort spent to ensure the safety of the workforce during the health pandemic.

The Project facilitated 15 formal environmental regulatory inspections and tours by various agencies, often in conjunction with Haisla Nation, including but not limited to the BC Environmental Assessment Office (EAO), BC Energy Regulator (BCER, formerly Oil and Gas Commission), Fisheries and Oceans Canada (DFO) and IAAC.

The following sections provide some highlights of LNG Canada Project construction activities undertaken as part of the site preparation program, marine works, LNG Facility, temporary facilities and general environmental activities during the reporting year.

2.1.1. Site preparation

- Ongoing development and stabilization of the soil stockpile area (refer to Photo 1).
- Management of groundwater, stormwater and construction affected water.



PHOTO 1: SOIL STOCKPILE (APRIL 2023)

2.1.2. Marine

- A minor dredging scope (3,729 m³ of IL-) was undertaken between April 23, 2022, and May 25, 2022.
- Operations at the Material Offloading Facility (MOF) continued, under the marine security (MARSEC) certification (refer to Photo 2).
- Installation of the marine outfall.

Further information on the marine program is provided in Section 5.3.1.



PHOTO 2: MODULE OFFLOAD AT THE MOF (DECEMBER 2022)

2.1.3. LNG Facility

- Progressed installation of modules throughout the site (refer to Photo 3 and Photo 4)
- Continued with installation activities inside the LNG Tank and on the roof (refer to Photo 5).
- Commenced installation of the flare system structures (refer to Photo 6)
- Continued installation of the LNG Loading Line (piling of the trestle using the Cantilever Bridge (CLB) and from land) (refer to Photo 7).
- Continued construction activities in the Administration and Service Building Area, including energization of the main 287 kV power feed to the Project electrical switchyard (refer to Photo 8).



PHOTO 3: LNG FACILITY – VIEW FROM LNG TRAINS TO THE SOUTH (APRIL 02, 2023)



PHOTO 4: MODULE BEING MOVED TO THE FACILITY (JANUARY 2023)



PHOTO 5: LNG STORAGE TANK AND BOIL OFF GAS AREA (MARCH 2023)



PHOTO 6: FLARE AREA (APRIL 02, 2023)



PHOTO 7: LNG LOADING LINE – TRESTLE (APRIL 02, 2023)



PHOTO 8: ADMINISTRATION AND SERVICES AREA (APRIL 02, 2023)

2.1.4. Temporary Facilities

- Ongoing construction in the Temporary Construction Facilities area, including installation of temporary construction trailers to support satellite work activities.

2.1.5. General environment activities

- Water management throughout the LNG Canada Project site, including installation and management of erosion and sediment controls (ESCs), management of the storm water treatment units, and transition to the use of the permanent storm water ponds for construction stormwater management.
- Wildlife management activities, including wildlife monitoring and assessments, den surveys prior to tree clearing activities, wildlife observation tracking, and installation and effectiveness monitoring of bat boxes (refer to Photo 9).
- Implementation of best management practices for migratory birds including avoidance, work scheduling, bird nest surveys prior to tree clearing activities, and established buffers.
- Management of fish and fish habitat, including fish and amphibian salvage, construction of new offsetting habitats and maintenance of existing offsets.
- Monitoring of adjacent wetland habitats.
- Fish habitat effectiveness monitoring.
- Wetland effectiveness monitoring.
- Continuation of progression of Marbled Murrelet and wetland compensation via conservation.
- Completion of revegetation at the RWI and along the RWI Pipeline right-of-way.



PHOTO 9: GRIZZLY BEAR WITH TWO CUBS FROM ON-SITE WILDLIFE CAMERA (MAY 2022)

2.2. Operation Activities within the Reporting Year

Planning activities to support future operations continued through the reporting year, which included technical assessments and modelling to support the development of permit application material.

Development of management plans as required under the LNG Canada Environmental Assessment Certificate (EAC) commenced in the reporting year but was limited to framing the plans (including aligning management plans with permitting requirements, as appropriate) and verifying the regulatory and Indigenous Groups points of contact.

Discussions surrounding development of a Wake Verification Program commenced with Indigenous Groups and regulatory agencies in late 2021, introducing LNG Canada's plans to commence development of the baseline collection program in 2022. During the reporting year, discussions continued with Indigenous Groups and regulatory agencies. LNG Canada held a Condition 18 Wake Verification Plan kick-off meeting in March 2022, to which all identified Indigenous groups were invited (seven of the eight Indigenous groups were able to attend that meeting and specific follow-up with the Nation that could not attend took place shortly thereafter). Required regulatory agencies were also in attendance. Follow-up discussions took place between April and July of 2022 and included analysis of the options/alternatives for collecting the data, and the eventual selection of the equipment to be used for data collection. The final equipment selection was communicated to all Indigenous

groups in July 2022 and no concerns have since been raised. In September 2022, LNG Canada shared the first draft of the Baseline Wake Monitoring Plan with all Indigenous Groups and requested feedback/input. Other than confirmation of receipt, and to acknowledge that they had no concerns, no Indigenous groups have raised questions or concerns associated with the draft Baseline Wake Monitoring Plan.

In 2022, LNG Canada also implemented a public engagement plan regarding Condition 18 that included an engagement team and table at the September Open Houses in Terrace and Kitimat to collect any feedback on the marine program development. The events were open to the public with newspaper and radio advertisements about the events, and posters and specific invitations targeting recreational marine users and ENGOs with marine focuses were disseminated.

Consultation and engagement on Condition 18 with Indigenous groups took continued from September 2022 through March 2023, focused on finalization of the monitoring locations site selection process. Development of the Program will continue through 2023-2024.

2.3. Implementation Schedule

The LNG Canada Project has developed a Project Implementation Schedule that outlines commencement and completion dates for each condition in the IAAC Decision Statement. The Implementation Schedule is publicly available on the LNG Canada Project website (www.lngcanada.ca). All updates to the IAAC Implementation Schedule are provided to IAAC and Indigenous Groups as required by the Decision Statement.

The following LNG Canada Project Implementation Schedule submissions have been completed to date:

- September 15, 2015: first IAAC Implementation Schedule submission more than 30 days prior to construction activities commencing.
- December 2, 2016: updates to the marine activities schedule.
- June 30, 2017: first biennial IAAC Implementation Schedule update as per the Decision Statement.
- July 4, 2018: updated IAAC Implementation Schedule in preparation for marine construction commencement (September 2018).
- June 28, 2019: second biennial IAAC Implementation Schedule update as per the Decision Statement.
- June 14, 2021: third biennial IAAC Implementation Schedule update as per the Decision Statement.

- May 25, 2023: fourth biennial IAAC Implementation Schedule update as per the Decision Statement.

2.4. Decommissioning

No decommissioning activities for the LNG Facility took place during the reporting year. LNG Canada will develop a Decommissioning Plan in consultation with Indigenous Groups that will be submitted to IAAC at least one year prior to the end of operation and at designated intervals during the decommissioning process. Contents of the Decommissioning Plan will include, but are not limited to the following:

- Project components that will be decommissioned, desired end-state objectives of the areas that will be decommissioned, and description of activities to be undertaken.
- Potential adverse environmental impact from decommissioning activities or by components that continue in their state at the end of operation and how adverse environmental effects will be monitored and mitigated; and
- An approach to consulting Indigenous Groups and federal and provincial authorities throughout the decommissioning phase.

3. Environmental Management Program

This section contains further details on how the environmental management program is structured and executed on the LNG Canada Project during construction. Further information on how the environmental management program will be structured and implemented during operations will be included in a future Annual Report.

The IAAC Decision Statement has specific sections of conditions associated with the following environmental aspects:

- Fish and Fish Habitat (Condition 3), including ESC and vegetation;
- Wetlands (Condition 4);
- Migratory Birds (Condition 5);
- Human Health (Condition 6);
- Current Use of Lands and Resources for Traditional Purposes (Condition 7);
- Physical and Cultural Heritage and Structure, Site, or Thing of Historical, Archaeological, Paleontological, or Archaeological Significant (Condition 8); and
- Accidents and Malfunctions (Condition 10).

Sections 5 to 10 herein provide further detail on each aspect, including associated activities during the reporting year and effectiveness of the mitigation measures / follow up programs.

3.1. HSSE Management System

The LNG Canada Project Health, Safety, Security, and Environmental Management System (HSSE MS) provides a systematic HSSE structure composed of a framework, policies, standards, guidelines, premises, specific plans, procedures, and processes. The HSSE MS:

- describes the Organization, Activities, Processes, Controls, and Procedures for identifying and managing Health, Safety, Security, and Environmental and Social Performance (HSSE & SP) risks for the Project;
- demonstrates how HSSE & SP will be managed, reviewed and continuously improved;
- demonstrates how the Federal, Provincial and Local regulatory, contractual, and LNG Canada Project HSSE & SP requirements are being met and incorporated into systems, plans and procedures; and
- identifies the necessary actions to set up and implement the HSSE MS.

The LNG Canada Project Compliance Management System (CMS) for execute, a component of the HSSE MS, details processes in place at LNG Canada to ensure that conditions of the LNG Canada IAAC Decision Statement, as well as requirements in LNG Canada Project permits and approvals, are documented, tracked, and actioned.

3.2. Environmental Management Plans (Construction)

3.2.1. Terrestrial

The LNG Canada Project *Construction Environmental Management Plan* (CEMP) is the overarching framework that encompasses the LNG Canada Project's terrestrial environmental management program and includes all mitigation measures, best management practices, monitoring and reporting requirements associated with each EMP developed for the Project. The LNG Canada Project CEMP has been developed in consideration of community commitments and environmental best practices, and with input from regulators, Indigenous Groups, and stakeholders.

The CEMP includes environmental aspects and impacts related to terrestrial and freshwater Project construction, including, but not limited to, topics such as air quality, light and noise management, vegetation and invasive plant management, surface water and wastewater management, wildlife and fish habitat resources, management of archeological and heritage resources, waste management, and ESC.

EMPs developed specifically to manage the above environmental aspects and impacts related to terrestrial and freshwater include:

- Air Quality Management Plan
- Noise Management Plan
- Vegetation Management Plan
- Surface Water Management Plan
- Wildlife Management Plan
- Fish Habitat Management Plan
- Archaeological and Heritage Resources Management Plan

The CEMP and EMPs are written to ensure compliance with relevant statutes and regulations and include an adaptive management approach based on continual improvement principles.

An internal LNG Canada Project review of the CEMP and related EMPs occurred in the reporting year, with no required revisions to the plans identified.

3.2.2. Marine

The Marine Activities Plan (MAP) is the overarching framework that encompasses the LNG Canada Project's marine environmental management program, and includes general marine mitigation measures, best management practices, and marine environmental monitoring and reporting requirements. The LNG Canada Project's MAP has been developed in consideration of community commitments and environmental best practices, and with input from regulators, Indigenous Groups, and stakeholders.

The MAP also includes supporting marine EMPs to manage environmental aspects and impacts related to marine construction for the LNG Canada Project, including:

- the Marine Access Traffic Management Plan (MATMP), which, among other things, outlines the processes in place for the Project to inform marine users of vessel movements in the Kitimat Harbour;
- the Marine Monitoring Plan (MMP), which includes the marine monitoring programs associated with construction (including those related to marine water quality and contaminants), monitoring for underwater acoustics, and marine mammal monitoring; and
- the Dredge Environmental Management Plan (DEMP), which outlines the execution strategy for dredging and disposal of dredgeate.

The MAP and supporting marine EMPs are implemented using an adaptive management approach based on continual improvement principles.

3.3. Environmental Work Plans (Construction)

To support implementation of EMP requirements in the field, contractors are required to prepare Environmental Work Plans (EWPs) for defined scopes of work, especially for scopes of work related to environmentally sensitive areas. EWPs are used to formalize the details around a specific scope of work, providing an overview of the work being conducted, environmental risks, mitigations, and monitoring requirements.

Extensive planning with involvement from JFJV, LNG Canada, and subcontractors environmental and construction teams occurs ahead of work scopes with environmental risks. During this reporting year, the Project continued to implement the Hazard and Effects Management Program. JFJV Environment, with involvement from its subcontractors and LNG Canada, held Environmental Risk Assessments and Structured Risk Assessments for work scopes with critical environmental risks. These assessments allowed for a higher-level identification of environmental risks and mitigations required to execute the work. This information was then used to develop the applicable EWPs.

Each EWP includes, but is not limited to:

- Activity location, including site boundaries or external property considerations;
- Detailed description of scope of work addressed by the EWP, including schedule and duration of construction activities, as well as equipment utilization;
- Baseline environmental sensitivities adjacent to the defined activity location (e.g., fish habitat, riparian habitat, rare plants or plant communities, wildlife values, known or potential archaeological values, sensitive receptors, water quality sensitivities, areas of suspected contamination, etc.);
- Permits, approvals, and consents relevant to proposed work, and key terms and conditions and timing constraints;
- Mitigation measures required to minimize or eliminate environmental impacts; and
- Monitoring requirements required to verify compliance.

These plans are communicated at the crew level to provide the people performing the work with the details they need to perform it while maintaining compliance to the mitigations and commitments.

3.4. Mitigation Monitoring and Follow-Up Programs (Construction)

The LNG Canada Project is continually re-evaluating mitigation and monitoring measures during the construction phase to ensure that activities comply with regulatory requirements and Project commitments. There are several tools used to ensure implementation of the mitigation measures outlined in the EMPs, and subsequent EWPs, as outlined herein.

The outcomes from the mitigation monitoring and follow up programs during the reporting year are contained throughout this annual report, within each relevant environmental aspect.

3.4.1. Environmental Monitoring Program

JFJV oversees the implementation of its Environmental Monitor (EM) Program and regularly shares information with LNG Canada. JFJV Environmental Specialists perform EM activities for most of the Project, including retaining the services of a Qualified Environmental Professional (QEP) to monitor construction activities and assess the effectiveness of mitigations on an ongoing basis.

EMs inspect environmentally sensitive areas within the Project boundary daily. Visual observations are conducted using the environmental observation report or focus assessments developed for specific environmental aspects. Specific Focus Assessments that have been developed for monitoring of mitigations include:

- Fuels and Chemicals Focus Assessment

- Biosecurity Focus Assessment
- Migratory Birds Focus Assessment
- Sediment and Erosion Control / Surface Water Focus Assessment
- Waste Management Focus Assessment
- Hydrostatic Testing Focus Assessment
- Fish Habitat Focus Assessment
- Amphibian Management Focus Assessment
- Sediment and Erosion Control / Surface Water Focus Assessment
- Winter Preparedness Focus Assessment
- Air Noise and Light Focus Assessment
- Raptor Management Focus Assessment

The observations of both positive findings and deficiencies are entered into a database using forms that can be completed in the field through a phone application (app). Digital imagery is taken where needed and included in the database with the associated observation / report or saved in the general “Photos” folder. If deficiencies or opportunities for improvement are found, the EMs communicate this information to the subcontractors for action. For example, if waste has not been properly segregated in waste bins, the EM will request that this be rectified. An action log is generated by extracting the deficiencies and opportunities for improvement from the database. These items are then tracked to closure and status updated on the action log.

EMs have been given the authority to stop work in cases where mitigations are not sufficient and in cases of non-compliance. EM activities are also undertaken by qualified LNG Canada Project environmental professionals and contractors.

Monthly EM reports are developed, which summarize the key work activities and observations made during monitoring activities as discussed above.

3.4.2. Contractors Environmental Inspections

The LNG Canada Project contractors are required to complete weekly regular worksite inspections and assess effectiveness of the mitigations associated with their scopes of work. Sections in the environmental inspection report include air quality, archeological and heritage resources, light, noise, vegetation, waste, ESC, fuel and chemicals, and housekeeping. The contractor conducts regular inspections and note any deficiencies identified. These items are tracked to closure by the

contractors. JFJV and LNG Canada follow up on these actions if they remain open during regular inspections.

3.4.3.EWP Assurance Reviews

JFJV conducts EWP assurance reviews to verify conformance to the approved EWPs. The findings are documented in the database and actions tracked on the action log to closure.

3.4.4.Incident Investigation Program

The LNG Canada Project follows the HSSE Incident Investigation and Reporting Programs for LNG Canada and JFJV. LNG Canada Project contractors are required to communicate all incidents with actual or potential environmental impacts to either the JFJV or LNG Canada Environment Team and HSSE Incident Investigation Team (depending on scope owner).

Incident response steps and the level of investigation is based on the actual and potential risk ranking of the event. In all instances, when an incident is discovered, the priority and response is focused on ensuring that any immediate risk to people, environment, or property (e.g., spills, releases, discharges, etc.) is managed and/or eliminated. This may include containing any spills or releases using on site spill kits, mobilizing QEPs to inspect and/or observe any potential impacts to the environment, and/or stopping any active discharges where feasible.

Once immediate response is complete and any impact is minimized, all required regulatory and Project reporting and notifications would take place. This may include required notifications to applicable regulator(s), courtesy notifications to stakeholders or Indigenous Groups or updates to regular field environmental reporting such as water quality reports.

All incidents are investigated, and the approach and methodology of that investigation is based on the risk of the incident. Incident investigations within the JFJV scope of work will be done using the JFJV Incident Investigation Form following standard investigation techniques or a root cause analysis process (e.g., tap root, Five Whys, SCAT). The investigation may identify if corrective actions or adaptive management of existing mitigation measures is required. Incident investigations involving scopes executed by LNG Canada also follow standard Incident Investigation Procedures and processes.

Corrective actions and opportunities for improvement identified during incident investigations are assessed and implemented as appropriate. The success of any corrective actions or adaptive management is assessed using a corrective action follow up program, designed to verify the actions are effectively implemented and working.

3.4.5. Program Development and Improvements

Program improvements and corrective or preventative actions may be identified through the above mitigation monitoring processes, EWP Audits, or incident investigations, resulting in amendments to individual EMPs or EWPs and implementation of additional mitigations as required.

Examples of program improvements made during the reporting year include:

- Environmental Risk Assessments / Structured Risk Assessments
- Development of Environmental Minimum Site Standards
- Development and update of Standard Operating Procedures (e.g., avian, water quality, surface water management)
- Updates to general environmental awareness program to include an interactive booth
- Dewatering authorization program
- Development of additional Environmental Focus Assessments (e.g., Fish Habitat) and update to existing Focus Assessments

Where substantial updates to mitigation measures, above and beyond adaptive management, are required, EMPs may be amended, in which case the consultation process outlined in the EMPs would be enacted (refer to Section 4.3 for further information).

3.5. Records Management

Records related to the implementation of the Conditions outlined in the LNG Canada *IAAC Decision Statement* are maintained electronically as part of the LNG Canada CMS. Records are readily available, and include, but are not limited to, the following:

- Records of mitigation and environmental program monitoring (e.g., surface water sampling results, site inspection results, waste disposal, etc.).
- Records of fish and amphibian salvage activities, processes, and results.
- Records of all consultation and notification to regulatory agencies, Indigenous Groups, and external stakeholders.
- Incident reporting and investigation documentation.

4. Social Performance Program

This section contains further details on how the social performance management program is structured and executed on the LNG Canada Project.

The LNG Canada Project undertakes a range of initiatives to ensure the local communities and Indigenous Groups receive up-to-date information about the Project and have an opportunity to ask questions and provide feedback. These initiatives include stakeholder notifications, advertising, web postings, social media (Facebook, Twitter, and LinkedIn), the community feedback process, and in-person meetings (where possible and aligned with COVID-19 safety measures).

The LNG Canada Project Community Level Infrastructure and Services Management Plan (CLISMP) was resubmitted and approved by BC EAO on April 10, 2019. A copy of the CLISMP was also shared with all Indigenous Groups the Project engages with. The CLISMP outlines key social performance mitigation measures related to potential direct impacts on the LNG Canada Project. This includes the establishment of the LNG Canada Social Management Roundtable (SMRs) with key provincial ministries and agencies as well as other local key stakeholder groups, including Indigenous Groups.

4.1. Workforce Programs

The LNG Canada Project has a Code of Conduct that every individual on the LNG Canada Project signs through the site orientation process. It states that everyone who works on site is personally committed to safety, quality, acceptable behaviours and attitudes, as well as respecting the community. Everyone is expected to be a project ambassador and violations of the Code of Conduct carry consequences, up to being barred from site.

Participation in the Cultural Awareness Program (CAP) is required for all workers on the LNG Canada Project site. During the reporting year, the CAP continued to be implemented for the LNG Canada Project. The program covers a wide range of topics, including common terms, Indigenous peoples in Canada, a historical timeline, governance structures, First Nations involved in the Project, understanding local Indigenous culture and spirituality, traditional knowledge, stereotypes, and cultural appropriation. There is a program manual that is also available to participants.

LNG Canada has also established an Anti-Racism Committee to create more awareness of social and economic injustices and economic reconciliation. Indigenous cultural competencies will be incorporated into the Anti-Racism training program. Public and Stakeholder Communications and Consultation Programs

LNG Canada and JFJV consult with public audiences on a range of topics, including Project management plans and permits. Consultation with local governments, agencies, interested residents, and other stakeholders was undertaken, as was the continuation of the LNG Canada SMR meetings.

Notification of consultation and public comment periods associated with permit and approval applications are generally provided through local newspaper advertisements, on the LNG Canada and JFJV websites and Facebook pages, required Gazette advertisements, emails and face-to-face communications with key stakeholders, and through other forms of notification to maximize participation and input. Online tools such as the LNG Canada and JFJV websites and social media platforms are used to communicate project information in a timely manner related to construction and news updates to stakeholders and the local community. Further information on the various types of public consultation activities undertaken during the reporting year is outlined in the following sections.

Public consultation, engagement, and construction communication topics in the reporting year include, but are not limited to:

- Business and employment opportunities
- General LNG Canada Project information
- Construction updates and notifications
- LNG Canada Environmental Forums
- Permit acquisitions, including for three Waste Discharge Authorizations: LNG Storage Tank hydrotest; effluent discharge for operations; and air emissions for operations
- General permitting updates to Indigenous groups
- Construction notifications include, but may not be limited to:
 - Nighttime Road Closures near LNG Canada Project site – May 10, 2022
 - JGC Fluor submission – Canadian Navigable Waters Act – June 30, 2022
 - Air curtain Incinerator use for disposal of clean wood waste – November 22, 2022
 - Canadian Navigable Waters Act Notice – Submersible Pump – January 19, 2023
 - Canadian Navigable Waters Act Notice – Remediation of River Water Intake – February 23, 2023
- Community Impacts:
 - Direct impacts were tracked through the CLIMSP's seven social management plans and discussed at the LNG Canada SMR meetings. The main community impact due to construction activities continued to be traffic related; total of five complaints. These included driving behaviours, such as driving too fast or too slowly, shuttle, and parking related issues. These were resolved through discussions with contractors and the District of Kitimat.

4.1.1.LNG Canada and JFJV Websites

LNG Canada and JFJV have websites (www.lngcanada.ca; www.jfvkitimat.com).

Both websites provide information on the LNG Canada Project and the LNG industry. The websites allow LNG Canada and JFJV to communicate significant project events and milestones to the public and to keep them informed on Project progress and issues of relevance to the local community. Launched in October 2018, information on the JFJV website includes construction notifications, current employment opportunities with JFJV, its subcontractors, and sub-subcontractors, as well as information on contract awards and upcoming contracting and procurement opportunities.

The LNG Canada website includes information on LNG Canada's environmental programs, including but not limited to, the IAAC Implementation Plan, Wetland Compensation Plan, Fish Habitat Management Plan, and the Archeological and Heritage Resources Management Plan. The IAAC Annual Report and any supporting documentation is also accessible via the LNG Canada website.

LNG Canada and JFJV have links to their social media pages on the websites, which makes it easy for the public to follow LNG Canada and JFJV on social media.

During the reporting year, information was shared through over 100 website posts on the LNG Canada and JFJV websites.

4.1.2.Social Media

In early 2016, LNG Canada launched its official Facebook community page and followed with Twitter and LinkedIn social media accounts. The purpose of the LNG Canada digital platforms is to engage with communities and share information on LNG Canada operations, events, and to provide the public with project updates and notifications. In 2022, LNG Canada's digital workstream created over 2.7 million social impressions and over 14,000 external social mentions from content generated by over 23 videos and other project content (Graphic 1). The channels are monitored during regular business hours Monday to Friday in the Pacific Standard Time Zone.



GRAPHIC 1 – SOCIAL MEDIA SUMMARY (2022)

In March 2019, the official JFJV Facebook community page was launched. The objective of the JFJV Facebook page is to keep local stakeholders and surrounding communities aware of LNG Canada Project and community related activities. Currently there are 5,710 followers on the JFJV Facebook page, and it is monitored Monday to Friday during regular business hours in the Pacific Standard Time Zone.

4.1.3. InFocus Magazine

LNG Canada distributes the InFocus newsletter, via Canada Post once per year to all residents Kitimat and First Nations adjacent to the Project. The most recent issue of InFocus was distributed late September 2022 with a direct mailing to Kitimat residents and copies delivered door to door in Kitimaat Village. In addition, 200 copies were given out at the Open House events in Kitimat and Terrace. InFocus provides information about LNG Canada's activities, upcoming events, and opportunities to provide feedback. In addition to LNG Canada's InFocus newsletter, LNG Canada regularly places advertisements in local newspapers to provide project updates, including site activities and permitting processes, and to advertise opportunities for feedback. Currently, LNG Canada also advertises on local First Nations radio, CFNR, to ensure there is an understanding of the Project and local communities are aware of Project commitments.

4.1.4. Newspapers and Radio

Publications are made in print in local newspapers (i.e., Kitimat Northern Sentinel and Terrace Standard newspapers), the BC Gazette, and broadcasted on CFTK and CFNR covering a variety of different topics including, but not limited to:

- Permit amendment applications (i.e., BCER waste discharge authorisations, environmental protection notices).
- Notice of works

- Local holidays
- Project updates

4.1.5.Social Management Roundtables

In late 2018, LNG Canada paused the Community Advisory Group for the remainder of construction and began implementation of its CLISMP, which was approved by EAO on June 13, 2016.

The 2021 Annual CLISMP report was submitted electronically to the BC EAO on July 28, 2022; the 2022 Annual CLISMP report will be submitted in the next reporting year.

On April 30, 2019, LNG Canada and JFJV held the kick-off meeting for the SMR, which serves as the primary engagement platform to support CLISMP implementation. The SMR's focus is to provide LNG Canada Project updates and address community impacts, discuss mitigations, and share information. A wide range of service providers, multiple government agencies, municipalities, and Indigenous Groups are invited to participate in the SMR alongside LNG Canada Project subject matter experts. A Terms of Reference was developed for the SMR, and participants were given the opportunity to provide comments and inputs; it is also reviewed annually. Meetings continue to take place on a quarterly basis; summary reports capturing monitoring trends and feedback are published quarterly online and shared with SMR participants after each roundtable.

Participants included community and provincial stakeholders as well as Indigenous Groups. The working groups share information on the seven social management plans in the CLISMP:

- Community Health
- Housing
- Emergency Response
- Traffic
- Education, Amenities and Utilities (every second quarter)

The SMR transitioned to meeting in person mid-2022 as COVID-19 restrictions eased. SMR meetings were conducted as outlined below:

- The Q4 2021 SMR was held virtually on February 24, 2022. Four working group sessions were attended by community and provincial stakeholders and Indigenous Group participants. A summary report capturing socio-economic monitoring trends and feedback from 2022 SMR working groups was shared prior to the session.
- The Q1 2022 SMR was held virtually on May 31, 2022. Three working group sessions were attended by 27 community and provincial stakeholders, Project team representatives, and

Indigenous Group participants. JFJV shared a construction update, and an update on the current workforce. LNG Canada provided an update on COVID-19 and reviewed the Terms of Reference of SMR. A summary report capturing socio-economic monitoring trends and feedback from Q1 2022 SMR working groups was shared with SMR participants prior to the session and published online July 25, 2022.

- The Q2 2022 SMR was held September 21 and 22, 2022 in person at the CVL. Four working group sessions were attended by 28 community and provincial stakeholders, Project team representatives, and Indigenous Group participants. A summary report capturing socio-economic monitoring trends and feedback from Q2 2022 SMR working groups was shared with SMR participants prior to the session and published online October 31, 2022. Participants of the SMR were provided with lunch courtesy of the Sodexo Team and went on a tour of CVL and the site after the session wrapped-up.
- The Q3 2022 SMR took place virtually on November 22, 2022. JFJV provided a construction and workforce update, and an update on community feedback. Four working groups sessions were attended by 16 community and provincial stakeholders, Project team representatives, and Indigenous Group participants. A summary report capturing socio-economic monitoring trends and feedback from Q3 2022 SMR working groups was shared with participants prior to the meeting and published online December 20, 2022.
- The Q4 2022 SMR was held February 22-23, 2023, in person at the Terrace Sportsplex, Terrace, BC. Four working groups sessions were attended by 22 community and provincial stakeholders, Project team representatives, and Indigenous Group participants. A fifth meeting was held to discuss regional emergency response planning with the appropriate stakeholders. A summary report capturing socio-economic monitoring trends and feedback from Q4 2022 SMR working groups was published online March 17, 2023, and shared with SMR participants.

4.1.6. Other Forums

LNG Canada and JFJV provide Project updates through a variety of engagements with the public and relevant stakeholders through the following forums:

- Environmental forum meetings held on February 22, May 24, August 31 and December 5, 2022, and on March 14, 2023.
- Meetings, updates and site tours with the District of Kitimat staff and council:
 - In-person semi-annual Project updates given to the Mayor and Council of Kitimat on July 14, 2022, and November 23, 2022.

- Regular connects with DOK representatives to discuss ongoing workstreams such as childcare and housing.
- In-person semi-annual Project updates given to the Mayor and Council of the City of Terrace on July 13, 2022, and February 8, 2023.
- Flaring related engagements with District of Kitimat representatives and senior administration leaders for feedback prior to broader community engagement – first meeting held on March 28, 2023.
- Regular engagements through monthly emails and discussions with local employment and education agencies.

4.1.7. Community Feedback Process

JFJV developed its Community Feedback Process to provide an open and transparent means for the community to raise questions and have them addressed in a timely and consistent manner. All feedback is tracked and responded to via the Community Feedback Mechanism managed by JFJV. During the reporting year, there were 3,283 public inquiries submitted through the Community Feedback Mechanism in the format of calls, emails, and visits to JFJV's Project Resource Centre (PRC).

A breakdown of topics covered amongst the 2,640 public inquiries include:

- 732 employment inquiries
- 936 contract and procurement inquiries
- 154 complaints and concerns
- 957 general inquiries

The Community Feedback Process channels are staffed by JFJV and monitored during regular business hours (Monday to Friday), and all incoming community engagements are acknowledged within 48 to 72 hours.

Community feedback and grievances can be provided through a variety of ways, including:

- Telephone: 1 250 632 5358 or 1 888 499 5358
- Email: info@jfvkitimat.com
- In person: PRC, located at 234 City Centre Mall in Kitimat, with hours of operation from 8:30 a.m. to 4:00 p.m.

The Community Feedback Mechanism has been communicated to key stakeholders, including the District of Kitimat, the City of Terrace, Haisla Nation and other Indigenous Groups through various meetings, and is conveyed to all contractors through the pre-and-post contract award process. The Community Feedback Mechanism also tracks all noise complaints received. JFJV documents all grievances in StakeTracker, which is the database used to record engagements and communications.

4.2. Indigenous Group Consultation Programs

The LNG Canada Project continues to engage in consultation with Indigenous Groups regarding Project activities that may potentially impact Indigenous Rights and interests. In addition, the LNG Canada Project continues to undertake a range of initiatives to ensure that Indigenous Groups receive up-to-date information about the Project and have an opportunity to ask questions and provide feedback.

4.2.1. Aboriginal Consultation Plan

The LNG Canada Project continues to implement the BC EAO approved Aboriginal Consultation Plan (August 2013), which describes the processes and various methods used to engage and consult with Indigenous Groups throughout the environmental assessment, including ongoing engagement post-Environmental Assessment Certificate (EAC). Underpinning the various consultation tools that are described in the Aboriginal Consultation Plan are the Senior Indigenous Relationship Leads for each Indigenous Group, who provide continuity of communications and a focal contact for all consultation that is related to the LNG Canada Project for all methods of communication (e.g., letter, email, phone, face to face, etc.).

Methods of engagement used to-date include, but are not limited to, face-to-face meetings, e-mails, phone calls, letters, community meetings, site visits, quarterly project update meetings, and other methods that may be preferred or requested by individual Indigenous Groups through the consultation process. Each of these engagement tools provides an opportunity for ongoing information sharing and feedback regarding the Project. Engagements related to specific conditions are described under those sections of the report.

The LNG Canada Project will continue to implement the EAO Approved LNG Canada Aboriginal Consultation Plan (dated August 2013) for all phases of the Project. The next Aboriginal Consultation Summary Report is due one year after the commencement of Operations.

4.2.2. Participation Opportunities

In addition to formal Indigenous Group consultation as outlined in the Aboriginal Consultation Plan, the LNG Canada Project also offers numerous opportunities for Indigenous Groups to participate in the implementation of field environmental monitoring programs by participating in monitoring activities

at site. Throughout the reporting year, representation of the Haisla Nation participated in various monitoring activities at site, including fish and amphibian salvage, water quality sampling, and marine mammal observation.

The LNG Canada Project will continue to identify and provide opportunities for Indigenous Group members to participate in various monitoring activities (outlined in the environmental management plans) occurring in their respective traditional territory.

4.2.3. Regular Project Updates

During the reporting year, LNG Canada and JFJV conducted ongoing formal and informal engagements with Indigenous Groups. These included, but are not limited to the ongoing meetings with Haisla Nation and other Indigenous Groups related to permitting, business opportunities, and employment:

- LNG Canada and JFJV had bi-weekly permitting and compliance update meetings with Haisla Nation. Topics discussed in these meetings include upcoming permit applications that will require specific engagement with Haisla Nation; feedback on permit applications submitted to Haisla Nation for review; and discussion of compliance events that have been self-disclosed to Haisla Nation. Joint meetings with Haisla Nation and the regulators are also held as required as part of the permitting process (i.e., waste discharge authorizations).
- LNG Canada had regular discussions on dredging with Haisla Nation and Gitga'at.
- Permitting updates with other local Indigenous Groups in July, November, and December 2022, as well as February 2023.
- JFJV met with Indigenous Groups to provide a final JFJV direct contracting and procurement opportunities overview in July 2022.
- JFJV provided Indigenous Groups an Employment Opportunities Matrix in December 2022.
- LNG Canada met with various Indigenous Groups throughout 2022 to provide updates on Operations related employment and workforce development opportunities and will continue to discuss these opportunities on a regular basis. LNG Canada participated in career fairs for Haisla Nation in June 2022, Gitxaala Nation in December 2022, and Kitsumkalum in March 2023.
- LNG Canada met with several Indigenous Groups in August 2022 to provide an update on the shift in focus from construction to LNG Canada Asset phase contract opportunities. LNG Canada continues to meet as requested to discuss contracting and procurement opportunities.

- LNG Canada hosted Open Houses in Kitimat and Terrace in September 2022, which included dedicated booths to communicate information and answer questions on employment, workforce development, contracting and procurement opportunities. LNG Canada also hosted a community engagement session in November 2022 for Haisla Nation members living in Vancouver and surrounding areas to provide a similar update.
- LNG Canada held site tours for members of Haisla Nation, Gitga'at First Nation, and Kitselas First Nation throughout 2022, whereby specific Project scopes were also discussed.
- LNG Canada hosted a community appreciation dinner with Haisla Nation in July 2022 which was attended by both Haisla Nation and LNG Canada leadership team.
- LNG Canada met with Gitga'at monthly to provide marine related environmental and permitting updates.
- During regular project update meetings, LNG Canada provided Project construction and health and safety updates.

4.3. Environmental Management Plan Consultation

The LNG Canada Project continues to engage with regulatory agencies and Indigenous Groups and provide updates on the development and implementation of management plans, through information sharing and formal reporting processes. The CEMP, MAP, and supporting EMPs will be continually reviewed and revised as appropriate as part of LNG Canada and JFJV's approach to adaptive management.

In May 2015, LNG Canada began engagement with Indigenous Groups on the development of the CEMP and associated topic specific EMPs for construction, including:

- CEMP
- Air Quality Management Plan
- Noise Management Plan
- Fish Management and Monitoring Plan
- Vegetation Management Plan
- Invasive Plant Management Plan
- Wetland Compensation Plan
- Surface Water Management Plan (Construction)
- Wildlife Management Plan

There were no updates to the construction terrestrial or marine EMPs during the reporting year.

4.4. Regional Participation and Cooperation

LNG Canada is committed to participating in regional initiatives related to several topics as opportunities become available. During the reporting year, initiatives have included:

- During the reporting period, LNG Canada continued to participate in the “Gitga’at-Gitxaala-Transport Canada Proactive Vessel Management Forum” under the umbrella of the Oceans Protection Plan (OPP) and sat on the Navigation Sub-Committee where they assisted in the development of the Draft Waterway Management Guidelines for the North Coast that were adopted in 2022. The purpose of the forum is to create a space in which representatives from Gitga’at, Gitxaala, and potentially other First Nations in the area of interest, federal agencies and other levels of government, industry and marine stakeholders can share information, explore issues and develop recommendations for:
 - Minimizing vessel traffic impacts and conflicts with local Indigenous and public marine use and small vessel traffic activities (via enhanced marine traffic communications, etc.).
 - Minimizing vessel traffic impacts and conflicts with marine mammals (via enhancing environmental monitoring and operational measures such as noise reduction, vessel speeds and routes).
- LNG Canada will continue to participate on any further/future relevant PVM-related initiatives.
- In 2022, LNG Canada continued its participation in the Kitimat Airshed Group (KAG) Governance Committee and its Data Subcommittee. One of the major deliverables that continues to be progressed is the third-party monitoring network review. This review will define the geographical boundaries of the airshed as well as identify gaps in air monitoring station locations and parameters. It is anticipated that this monitoring network review will be released in 2023.
- LNG Canada and Ocean Wise entered into a three-year agreement to support the expansion of Ocean Wise killer whale and humpback whale research programs on British Columbia’s north coast. Through this collaboration, Ocean Wise researchers can carry out key conservation research projects and deliver science education programs to Kitimat and Terrace-area schools. In 2022, Ocean Wise Education delivered six AquaClass programs to elementary students and two workshops to secondary students. Ocean Wise Research conducted nine Whale Report Alert System Training workshops, and held 32 outreach events on the North Coast. In addition to information sharing, Ocean Wise Research saw a 47%

increase in reporting through the Ocean Wise Sightings Network, and had 49 new WAP users, 18 of which operate on the North Coast.

5. Fish and Fish Habitat

The landscape surrounding the Project contains a range of terrestrial, aquatic and wetland habitats that support populations of wildlife and fish. These ecosystems are important not only to the health of the natural landscape, but also to residents who rely on the environment for recreation and traditional use.

Several plans have been developed in consultation with regulatory agencies and potentially affected Indigenous Groups to mitigate any impacts to fish and fish habitat.

The LNG Canada *Surface Water Quality Management Plan (Construction)* outlines mitigation measures pertaining to water quality and aquatic habitat that are implemented during construction. At a minimum, LNG Canada will:

- Minimize disturbed areas and stripping of vegetation and soils, where practicable, and maintain as much of the natural vegetation cover as possible.
- Install erosion controls to prevent erosion and install detention ponds and other runoff management controls to prevent sediment migration to surface water bodies.
- Ensure all discharges from the construction site meet regulatory requirements, including the *Canadian Council of Ministers of the Environment (CCME) Water Quality Guidelines for the Protection of Aquatic Life* and the *BC Approved Water Quality Guidelines*.
- Ensure all construction equipment is mechanically sound to avoid leaks of oil, gasoline, hydraulic fluids, grease, and other substances.
- Ensure all diversions of water from excavations are controlled, and that they do not enter watercourses unless testing is completed, and all surface water criteria are met.

Associated EMPs exist to support the *Surface Water Quality Management Plan (Construction)*, including but not limited to the *Sediment and Erosion Control Plan* (refer to Section 5.4.4.1 for more information) and the *Fish Habitat Management Plan*.

Mitigation of impacts to fish and fish habitat are routinely considered during the design and construction of the LNG Canada Project. The effectiveness and use of mitigation measures to address these potential impacts are reviewed during both the planning and execution phase. In Q1 2023 a review of the mitigations in the EAC took place to ensure an adequate level of protection of fish and fish habitat is in place.

The RWI structure has incorporated several design features to ensure the protection of fish, including but not limited to the use of screens meeting DFO requirements. To reduce potential impact to the

Kitimat River, existing infrastructure is being upgraded / retrofitted to meet the needs of the LNG Canada Project.

The following section outlines further details related to the mitigation of impacts to fish and fish habitat:

- Fisheries Act Authorization Overview – Section 5.1
- Reportable Incidents – Section 5.2
- Marine Programs – Section 0
- Freshwater Fish and Amphibians Programs – Section 5.3.3.2

5.1. Fisheries Act Authorization Overview

The LNG Canada Project holds four authorizations under the Fisheries Act; three for freshwater (known as “FAA1”, “FAA2”, and “FAA3”); and one for the marine environment (refer to Figure 1). Each section below provides information on the approval, habitat creation (offsets) and status of the effectiveness monitoring programs.

In consultation with DFO, the BC Ministry of Forests (FOR), and affected Indigenous Groups, Habitat Offsetting Plans have been developed and implemented where applicable, as outlined in the associated FAAs. Key considerations when developing the Habitat Offsetting Plans included the habitat restoration priorities identified by Haisla Nation and other stakeholders via the Lower Kitimat Watershed Planning initiative, as well as fisheries management objectives identified in DFO’s Integrated Fisheries Management Plans. The LNG Canada Project has applied the following priorities in developing the Habitat Offsetting Plans:

1. In-kind habitat in the immediate vicinity of affected habitats, benefiting the affected fish species and life stages.
2. Out-of-kind habitat in the immediate vicinity of affected habitats, benefiting the affected fish species and life stages.
3. In-kind habitat in the same region as affected habitats (i.e., Kitimat River system, Kitimat Arm), benefiting the affected fish species and life stages.




FIGURE 1: FISH HABITAT OFFSETS AND ASSOCIATED RIPARIAN AREAS

To facilitate the design and implementation of effective and supported offsets for the LNG Canada Project, LNG Canada has been consulting extensively with Haisla Nation regarding the habitat offsetting plans since 2013. Consultation with Haisla Nation has been (and continues to be) conducted through in-person meetings, workshops, conference calls, official memos and letters and email. Members of Haisla Nation have also participated in the field work to collect fish and fish habitat data on the Project site and at offsetting sites within their traditional territory.


LNG Canada's engagement with Haisla Nation has included discussions about potential effects to fish and fish habitat, avoidance, and mitigation measures, as well as input on fish habitat offsetting measures. These discussions began in September 2013 on conceptual fish habitat offsetting measures and continued through development of current designs and submission of LNG Canada's FAA applications. Feedback from Haisla Nation was incorporated into the offsetting strategy for the LNG facility, including the development and refinement of offset designs.

5.1.1.FAA1 – Workforce Accommodation Centre

Fisheries Act Authorization 15-HPAC-00918 for the Workforce Accommodation Centre ("FAA1") provides the LNG Canada Project with authorization to construct CVL, which includes infilling of Beaver Creek wetland and off-channel watercourse habitats and clearing of riparian vegetation in and around said habitats. Specifically, the authorization allows for destruction of 27,082 m² of Beaver Creek wetland and off channel aquatic habitat and associated riparian vegetation from grubbing, clearing, excavation and infilling. Most of the habitat created for FAA1 has, and will continue to be, in the effectiveness monitoring period.

5.1.1.1. Construction Activities

Construction of offset habitats for FAA1 began in summer 2016 and was completed in December of the same year (refer to Figure 2). In 2017, it was determined that additional offsetting was required to meet habitat requirements under FAA1, resulting in the construction of WAC Pond 4 and Channel 3 Extension. A further assessment determined that additional offsetting habitat construction was required; LNG Canada engaged with required stakeholders, including DFO and the District of Kitimat, to secure the Sumgas Creek restoration project to complete the offsetting requirements. Wildlife management activities occurred in late 2022 and early 2023, which consisted of beaver trapping and beaver dam removal.



<p>Opportunity for British Columbia. Energy for the world.</p>	FISH HABITAT OFFSET EMP 2020 ANNUAL REPORT		PROJECTION	DRAWN BY
	LNG CANADA EXPORT TERMINAL OFFSET HABITATS		UTM9	LT
	LNG CANADA EXPORT TERMINAL KITIMAT, BRITISH COLUMBIA		DATUM	CHECKED BY
			NAD 83	TC
			DATE	FIGURE NO.
			21-JAN-21	1

FIGURE 2: FISH HABITAT OFFSET HABITATS

5.1.1.2. Habitat Effectiveness Monitoring

Effectiveness monitoring for the reporting year consisted of the West Channel, North Channel, East Channel, Pond 1 and Pond 4. A summary of the 2022 effectiveness monitoring for the FAA1 offsets can be found in Table 1.

TABLE 1: SUMMARY OF 2022 FAA1 OFFSET HABITAT SUCCESS CRITERIA

Component	Measurable Parameter	West Channel	North Channel	East Channel	Pond 1	Pond 4
Physical Stability and Hydraulic Connectivity	Bank Stability	✓	✓	✓	✓	✓
	LWD – % functional	✓	✓	✓	✓	✓
	Connectivity to mainstem habitats	✓	✓	✓	✗	✓
	Water depth	✗	✓	✓	✓	✓
Vegetation Monitoring	Riparian vegetation establishment: shrubs and trees	✓	✓	✓	✓	✗
	Riparian vegetation function	✓	✓	✓	✓	✓
Water Quality	Temperature ¹	✓	✓	-. ²	✗	✗
	Dissolved Oxygen	✓	✓	✓	✓	✓
	pH	✓	✓	✓	✓	✓
Fish Utilization	Density (summer)	✗	✗	✗	✗	✗
	Relative abundance (summer)	✗	✗	✗	✗	✗
	Fish presence (winter)	N/A	N/A	✓	✓	✓
	Length frequency (summer)	✗	✗	✓	✓	✓
NOTES:						
¹ Temperature success was assessed using BC MECCS (2021) guidelines for optimum rearing temperature for salmonids.						
² Insufficient logger temperature data at Pond 1 to determine if success						

5.1.2.FAA2 – LNG Facility

Fisheries Act Authorization 16-HPAC-00220 for the LNG Facility (“FAA2”) provides the LNG Canada Project authorization to construct the LNG Canada production facility, which includes the diversion of Beaver Creek, Anderson Creek and KRSC. Specifically, the authorization allows for:

- Clearing, grubbing, infilling, and excavation of 216,580 m² fish habitat within and adjacent to Anderson Creek, Beaver Creek, Moore Creek, Kitimat River estuary and the KRSC; and
- Dewatering of 2,403 m² channel (K3) connecting the KRSC to the Kitimat River.

5.1.2.1. Construction Activities

Within the reporting year, authorized maintenance/repair works associated with FAA2 occurred in the KRSC North and the Anderson Creek Realignment Channel was completed (refer to Figure 2).

Assessment of the Anderson Creek fishway occurred and plans are being developed to implement improvements for the 2023 instream work window.

Flood flows during the fall/winter of 2021/2022 resulted in a build up of alluvial sediment in two areas designed to capture annual sediment aggradation in the ACR. Approximately 6,000 cubic meters of river sediment (sand and gravel) was removed from the upper and lower sediment ponds at each end of the ACR during July/August 2022. In addition, the berm between Pond 2 and the realignment channel eroded at several locations and repair work consisting of the placement of large riprap was completed in July/August 2022.

Additional sediment removal work at the Berm inlet to Channel 4 of the KRSC North offset channel was also removed in July/August 2022. This work was completed under the direction of a qualified hydrotechnical professional. Due to concerns regarding long-term maintenance related to sediment build-up in the realignment channel, as well as the potential for bank erosion and channel avulsions, JFJV continued to work with a consulting engineering firm to assess risk and develop options to improve hydraulic performance in the Anderson Creek Realignment Channel as well as all offset habitat constructed by JFJV. Additional repair/maintenance work is expected to take place during the reduced risk instream work window in the next reporting year (June 1 to August 15, 2023).

The maintenance of Anderson Creek Realignment Channel highlighted some successes and areas for improvement as summarized below (Table 2 **Error! Not a valid bookmark self-reference.**).

TABLE 2: SUMMARY OF 2021/22 ANDERSON CREEK CONSTRUCTION - SUCCESSES AND CHALLENGES

Successes	Improvement & Challenges
<ul style="list-style-type: none"> • Salmon migration and significant spawning throughout the realignment channel observed for multiple species • Interaction with adjacent wetland habitats proving effective in water balance • Repair work successful in preventing excessive erosion and channel avulsion 	<ul style="list-style-type: none"> • Bedload movement and accumulation within the constructed channels • Culvert entering Pond 2 to be monitored for maintenance requirements and future flow adjustment

The KRSC North inlet culvert 3 was maintained through removal of woody debris to promote free passage of water through the culvert inlet.

In September 2021, a high-water event caused a failure in grade control rock weir downstream of the Anderson Creek Fishway. This failure has resulted in fish access issues to the fishway and will result in additional modifications in 2022. In response to the failure of the weir and subsequently lower water levels at the fishway entrance / hydraulic exit a plan to hand dig a jump pool was executed. This plan

did not prove to be effective and as such further assessments were conducted and a plan is being developed for implementation in 2023 instream work window.

An additional component of the FAA2 offsetting requirements was the completion of a complementary measure consisting of an Oolichan research study. In 2021 and 2022 the program was well underway, with multiple universities, including graduate students, in the field collecting data. The research team is working closely with the Haisla Nation to maximize efforts and ensure research objectives are met. Supporting components to the larger program were completed, including Oolichan Traditional Ecological Knowledge (TEK) gathering and Oolichan habitat mapping in the research watercourses. In 2023 a summary of the TEK report was presented to Haisla, on Haisla traditional territory. The program will continue through 2023 with further habitat mapping, eDNA sampling and spawning surveys.

5.1.2.2. Effectiveness Monitoring

Effectiveness monitoring for the reporting year consisted of Anderson Creek Fishway, WAC (CVL) Pond 3, Beaver Creek Realignment, Anderson Creek Side Channel, KRSC North and South, Kitimat Estuary Ponds and Channels, Kitimat Estuary Enhancement Area, and the Minette Bay Salt Marsh Restoration. A summary of the 2022 effectiveness monitoring for the FAA2 offsets can be found in Table 3.

TABLE 3: SUMMARY OF 2021 FAA2 OFFSET HABITAT SUCCESS CRITERIA

Component	Measurable Parameter	WACP3	BCR	ACFW	ACR	ACSC	KRSCNR	KRSCSE	KEPC	KEEA	MBSMR
Physical Stability and Hydraulic Connectivity	Channel/Bank Stability	n/a	✓	n/a	✓ ¹	✓	✓	✓	n/a	n/a	n/a
	LWD-% functional	✓	✓	n/a	✓	✓	✓	✓	✓	n/a	n/a
	Connectivity to mainstem habitats	x	✓	n/a	✓	✓	✓	✓	✓	n/a	n/a
	Water depth	✓	✓	n/a	✓	✓	✓	✓	✓	n/a	n/a
	Spawning habitat	n/a	n/a	n/a	x ⁴	x ⁴	✓x ^{2,4}	n/a	n/a	n/a	n/a
	Riffle/run Depth	n/a	x	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	Pool depth	n/a	✓	n/a	✓ ³	✓	✓	✓	✓	n/a	n/a
Riparian Vegetation Establishment and Function	Tree and Shrub Establishment	x	x	n/a	x	x	x	n/a	n/a	n/a	n/a
	Vegetation Function as Fish Habitat	x	x	n/a	x	x	x	n/a	n/a	n/a	n/a
	Salt Marsh Species Diversity	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
Water Quality	Temperature ¹	x	✓	✓	✓	x	✓	✓	✓	✓	n/a
	DO	✓	✓	✓	✓	✓	✓	✓	✓	✓	n/a
	pH	✓	✓	✓	✓	✓	✓	✓	✓	✓	n/a
		✓	✓	✓	✓	✓	✓	✓	✓	✓	n/a
Fish Utilization	Density (summer)	x	✓	n/a	✓	✓x ²	✓x ²	x	x	x	n/a
	Relative abundance (summer)	x	x	✓	✓	✓x ²	✓x ²	✓x ²	✓x ²	✓	n/a
	Fish presence (winter)	✓	✓	✓ ³	✓	✓	✓	✓x ²	✓x ²	✓	n/a
	Length-frequency (summer)	x	✓x ²	n/a	✓x ²	✓	✓	✓x ²	✓	✓	n/a
	Spawner escapement	n/a	n/a (✓)	x	✓	✓	✓	x	n/a	n/a	n/a

NOTES:

- ¹ Temperatures were compared to the BC Water Quality Guideline for coho rearing temperature (BC MECCS 2021).
- ² Some habitats within this site met the success criteria, while others did not
- ³ ACFW spring CPUE sampling was used in lieu of winter sampling and met the winter presence criteria
- ⁴ Analysis completed for spawning phase (substrate, depth, velocity requirements); incubation phase component to be completed in April 2023 (to apply winter wetted extents requirement)
- ⁵ Assessed considering management practices implemented by LNG Canada in 2022

5.1.3.FAA3 – Supporting Infrastructure

Fisheries Act Authorization 16-HPAC-01079 for Supporting Infrastructure (“FAA3”) provides LNG Canada with authorization to construct supporting infrastructure for the LNG Facility such as the loading line. FAA3 includes the diversion of off channel habitat of Moore Creek and destruction of off channel habitat. Specifically, the authorization allows for

- Destruction of 4,357 m² instream fish habitat in tributary to Moore Creek; and
- Destruction of 1,324 m² of wetland and off-channel habitat in a tributary to Beaver Creek.

5.1.3.1. Construction Activities

FAA3 work activities in 2022/23 included the RWI, the RWI Pipeline, and the LNG loading line trestle construction. In the summer of 2022, revegetation of the RWI Habitat Offsets were conducted, along with sections of the RWI Pipeline right-of-way. Land-based construction of the RWI intake structure will continue in the next reporting year. The offsetting habitats associated with FAA3 (WAC Pond 2 and MCSC) were fully constructed in 2020 and available for fish use (refer to Figure 2).

5.1.3.2. Effectiveness Monitoring

Effectiveness monitoring for the reporting year consisted of Moore Creek Side Channel, and WAC (CVL) Pond 2. A summary of the 2022 effectiveness monitoring for the FAA3 offsets can be found in Table 4.

TABLE 4: SUMMARY OF 2022 FAA3 OFFSET HABITAT SUCCESS CRITERIA

Component	Measurable Parameter	WACP2	MCSC
Physical Stability and Hydraulic Connectivity	Bank Stability	✓	✓
	LWD – % functional	✓	✓
	Connectivity to mainstem habitats	n/a	✓
	Water depth	✓	✓
Water Quality	Temperature ¹	✗	✓
	DO	✓	✓
	pH	✓	✓
Fish Utilization	Density (summer)	✗	✓
	Relative abundance (summer)	✗	✓
	Fish presence (winter)	✓	✓
	Length frequency (summer)	✓	✓
Vegetation Monitoring	Riparian vegetation establishment and growth	✗	✗
	Riparian vegetation functions	✓	✓
NOTE:			
¹ Temperature success was assessed using BC MECCS (2021) guidelines for optimum rearing temperature for salmonids at both sites, and through comparisons with upstream locations at MCSC.			

5.1.4.FAA – Marine

Fisheries Act Authorization 15-HPAC-00585 for Marine (“FAA Marine”) provides LNG Canada with authorization to construct LNG carrier berths, early offloading facility, and MOF, which will include the

infilling of intertidal and subtidal habitat, dredging of intertidal and subtidal habitats, clearing of riparian vegetation and installation of sheet and pipe piles. Specifically, the authorization allows for:

- Destruction of intertidal habitats, including 67,455 m² of salt marsh, 250 m² of eelgrass, and 26,615 m² of mudflat; and
- Permanent alteration of intertidal habitats, including 46,279 m² of mudflat and 12,864 m² of vegetated rocky intertidal.

5.1.4.1. Construction Activities

Mitigation measures outlined in the FAA and related application were adhered to during the dredge season and construction of the MOF and Berth combi-wall. A qualified EM was present during all in-water construction activities and dredging. Overall, the in-water work activities went well, with challenges being encountered during the final sealing installation of the Berth combi-wall. Sub-seabed obstructions were identified under the installation footprint of king and sheet piles; however, temporary sheet piles and engineered mitigations were implemented to complete isolation of the wall. In-water construction, including installation and removal of temporary sheet piles for the Berth combi-wall, were completed in 2022. Further information on the marine program is provided in Section 5.2.

In early 2020 the bulk earth works, and rock apron associated with the construction of the Minette Bay North salt marsh was completed. In the later part of 2020 works started on the Minette Bay South salt marsh with works being completed in early 2021. Concurrently to the construction of the salt marshes, large woody debris that was built up on the surrounding salt marshes were removed. Planting of the north salt marsh was completed in 2021, however, due to a poor nursery stock only a portion of the south marsh could be planted. Additional planting was completed in 2022.

5.1.4.2. Effectiveness Monitoring

Effectiveness monitoring for the reporting year consisted of both salt marsh habitats and the areas of salt marsh restoration. A summary of the 2022 effectiveness monitoring for the Marine FAA offsets can be found in Table 5.

TABLE 5: SUMMARY OF 2022 MARINE OFFSET HABITAT SUCCESS CRITERIA

Measurable Parameter(s)	Rating of Success Criteria ¹	Summary of Year Two Measurable Parameter(s) ²		
		North Marsh	South Marsh	Reference Sites
Salt Marsh Habitat				
Surface topography and elevation and tidal channel width, depth and slope	Not meeting criteria for mean elevation	Range of elevation: -1.55 m – 1.49 m Mean elevation: 0.53 m	Range of elevation: -1.83 m – 1.60 m Mean elevation: 0.0 m	Range of min elevation: -1.10 m – -0.42 m Range of max elevation: 2.20 m – 2.43 m Range of mean elevation: 0.80 m – 1.39 m
Surface water level	Not meeting criteria; hydroperiod exceeds reference range	Range of water level: -1.78 m – 2.93 m (mean: -0.01 m)		Range of water level: -3.53 m – 2.80 m (mean: -0.20 m)
		Hydroperiod: 2,840 hours/year	Hydroperiod: 3,997 hours/year	Range of hydroperiod: 973 – 2,130 hours/year
Water table depth	Meeting criteria	The mean static water levels at the north marsh were within the confidence intervals calculated for the reference sites during all sampling events.	The mean static water levels at the south marsh were below the confidence intervals calculated for the reference sites during the fourth and fifth sampling events and were within the confidence intervals for the reference sites during all other sampling events.	These results indicate that the north and south marsh static water level was within the range of reference static water levels.
		Data summary values for sampling rounds are presented in Table 7		
Surface water salinity	Meeting criteria: offset LCL/UCL were within the reference range.	Mean = 4.65 ppt LCL = 4.31 ppt UCL = 6.14 ppt	Mean = 5.68 ppt LCL = 4.34 ppt UCL = 7.02 ppt	Mean = 5.23 ppt LCL = 4.31 ppt UCL = 6.15 ppt
Surface water temperature (°C)	Meeting criteria: offset LCL/UCL were within the reference range.	Mean = 13.7°C LCL = 12.6°C UCL = 14.8°C	Mean = 13.7°C LCL = 14.0°C UCL = 18.1°C	Mean = 14.4°C LCL = 13.8°C UCL = 14.9°C

5.2. Reportable Incidents

On July 2, 2022, JFJV contacted the DFO and BC RAPP hotlines to self-disclose the observation of deceased stickleback fish in the temporary construction stormwater ponds. A review of aerial photo record of plant site revealed that the probable source of stickleback was from dewatering areas just north and northwest of middle and west ponds after fish salvage activities were completed in summer of 2020. It is assumed that egg and/or larvae may have passed through the screened intakes when water was pumped to the ponds in 2020. An investigation was completed, and corrective actions implemented, included installing fish screens on the pond intakes, completing a fish and amphibian salvage, and developed a procedure to monitor other ponds for fish potential.

5.3. Marine Program

5.3.1. In-Water Construction Activities

The Marine EMPs address environmental mitigations and monitoring requirements for marine in-water construction, including but not limited to mitigations related to water quality, sediment quality, underwater acoustics, marine mammal observation and management, and management of dredgeate for disposal onshore and at sea (refer to Section 3.2.2).

Prior to the start of in-water construction activities, LNG Canada established the location and timing of sensitive life stages and habitat occupancy for fish, including marine mammals, in consultation with DFO and Indigenous Groups through the Fisheries Act Authorization permitting processes. As per FAA 15-HPAC-00585 for the marine construction scope, the timing window of least risk for dredging activities during the reporting year was the September 1 – February 28 extended dredge window.

Prior to and during marine in-water construction, a robust field environmental monitoring program was implemented to ensure compliance with water quality guidelines and to prevent incidents related to marine mammals. The monitoring programs implemented during the reporting year are outlined in the approved MMP and are summarized below.

Effectiveness of timing window implementation is undertaken as part of the LNG Canada EM program and related assurance activities, in particular support of qualified professionals during in-water works to ensure that species present are predicted, and risk is managed. LNG Canada Project priority is to make all reasonable efforts to complete the works in the specified timing windows established. If in-water works must occur outside such timing windows, the Proponent works with DFO and Indigenous Groups to determine any additional mitigation measures required to complete such works.

5.3.1.1. Dredging

From April 22, 2022, to May 25, 2022, LNG Canada conducted dredging-related activities in the LNG Canada dredge pocket, including:

- Crab salvage
- Dredging of IL- material (which is material below the Contaminated Sites Regulation Industrial Land Use criteria) and DAS material for disposal in the Dredge Disposal Site (DDS).



PHOTO 10 – DREDGING (APRIL 2022)

5.3.1.2. Marine Construction Activities

In water construction works for the Berth 2 Quay wall continued through the reporting period. Construction of Berth 2 involved impact pile driving; however, wherever possible, the use of the vibratory hammer was used, as it was identified as a mitigation in the Environmental Assessment process for piling, given that this installation method typically generates Sound Exposure Levels of approximately 10dB to 15 dB less, and does not produce the high impulse signatures of impact hammer piling.

The LNG Canada Project installed 9 sheet piles on the Berth 2 Quay wall using primarily a vibro-hammer, except when impact piling was required for geotechnical reasons. The use of bubble curtains and soft starts are utilized for all piling activities to minimize or eliminate adverse effects to cetaceans and fish. Soft starts consist of gradually increasing the hammer power over time; this allows fish or mammals to vacate the area prior to conducting full-power piling activities.

The Marine FAA does not have a restricted work window for piling activities; rather the mitigation measure is that work areas may be isolated with a physical barrier (e.g., silt curtain) with the objective to reduce fish mortality but creating a physical barrier preventing or deterring fish from entering the work area. For the in-water piling program, bubble curtains and silt curtains were used as a mitigation measure to reduce fish mortality. In addition, the MMO and environmental specialists were actively assessing bird feeding activities and possible fish surfacing/spawning.

5.3.2. Water Quality

Water quality is monitored during dredge- and marine construction-related activities to ensure compliance with BC Approved Water Quality Guidelines as outlined in the MMP.

5.3.2.1. Dredge Season

Numerical modelling indicates that at 300 meters from the edge of the dredging pocket, Total Suspended Solids (TSS) will meet marine water quality guidelines (i.e., a change from background of 25 mg/L TSS at any one time for a duration of 24 hours in all waters during clear flows or in clear waters). Therefore, 300 meters is the initial compliance point for TSS during dredging activity. Similarly, numerical modelling indicates that at 500 meters from the edge of the DAS site, TSS will meet marine water quality guidelines. The compliance line for DAS activities is, therefore, 500 meters.

A tiered monitoring approach was implemented during dredging to evaluate potential impacts to water quality, and to support the subsequent disposal of the dredged material at sea. Tier 1 monitoring characterized plume behavior in both space and time at both the dredging and disposal at sea locations using acoustic (i.e., sound-based) tracking technology. Plume tracking measures the movement of the suspended sediment plumes, in terms of both where they go and how long it takes

for them to dissipate to background levels. Water samples taken from within the plume as it moves away from its source are used to measure concentrations of any contaminants associated with the suspended sediment and to characterize how these concentrations change with time or distance. Plume tracking and confirmation of plume movement was completed in Season 2, and the results were used to determine the location of Tier 2 monitoring buoys for dredge Season 3. These buoys are equipped with a suite of sensors to provide continuous (e.g., hourly, or less) automated measurements of turbidity and other parameters at 300 meters from the edge of the dredging pocket.

There was no exceedance of water quality guidelines at the compliance line during dredging activities within the reporting year. There were no confirmed exceedances of TSS compliance criteria, however values were elevated above the long-term guideline at the DP1 Surface and Bottom locations on April 22, 2022, and the DP2 Bottom location on May 17, 2022. To monitor dredging in real time, in situ turbidity was monitored on a continuous basis (30-minute intervals) within 300 metres of the dredge activities. Turbidity values were greater than the long-term guideline at both the surface and bottom sites during several sampling events, but the elevated values were never recorded over a 30-day period. No measurements were recorded above the short-term guideline.

5.3.2.2. Marine Construction Activities

There is a waste discharge authorization associated with discharges from MOF and Berth 2 construction activities (as referenced in the MMP), issued by the BCER. There were no self-disclosures of exceedances of either the water quality guidelines or the permit conditions within the reporting year.

5.3.3. Marine Mammals

The LNG Canada Project employs low sound methodologies such as vibratory piling wherever feasible. In instances where the use of low sound vibratory piling is not feasible, use of bubble curtains is implemented. A key mitigation to manage this risk is the establishment of the Marine Mammal Monitoring Program to observe marine mammals' location, movement patterns, and behaviors and communicate requirements to stop work if a marine mammal enters the exclusion zone.

The LNG Canada MMP defines the monitoring and mitigation measures related to marine mammal protection and establishes a monitoring program, overseen by a QEP, that includes the deployment of qualified Marine Mammal Observers (MMO) at strategic locations at the Project site.

Experienced QEPs are employed as full-time MMOs to monitor during in water activities, both during the day and at night. Qualified MMOs can identify marine mammal species possibly encountered in the Project area, accurately describe relevant behaviour of marine mammals, and accurately estimate the location of the individual in relation to any marine mammal exclusion zone (MMEZ) boundaries.

The number and location of MMOs, as well as the applied mitigative measures to be taken, is dependent on the activity being undertaken (i.e., pile driving, MOF construction, dredging, etc.).

If a marine mammal was observed within the MMEZ, the MMO assessed the behaviour, location, and direction of travel of the animal if it was moving towards Project activity. The MMO also notified operators to limit non-essential movement of auxiliary vessels, reduce speed to no-wake speed, and avoid the path of the sighted animal(s). Work only resumed once the animal was observed leaving the immediate area or was not re-sighted for 30 minutes.

MMOs were monitoring the project boundaries as defined in the MMP, as well as in water works adjacent to the Project site. Marine mammal observations were conducted with the naked eye, with the assistance of binoculars during daytime observations, and with Forward-Looking Infrared (Radar) technology for nighttime observations.

Effectiveness monitoring is undertaken for underwater noise through the field environmental monitoring program as outlined in the MMP, including collection and analysis of noise and pressure readings during piling activities at the monitoring and exclusion zones. For pile-driving, a near-field over-pressurization hydrophone is placed within 10 meters of the activity to ensure pressures do not exceed 30 kilopascals. Additionally, far field instruments monitor underwater levels prior to, during and after pile driving activities. That information is tabulated and reported monthly to regulatory agencies and identified Indigenous Groups. The MMO program supports effectiveness monitoring by documenting all marine mammal sightings and related work stops. Any change in behavior is also noted by the qualified MMOs.

5.3.3.1. Dredge Season

During dredging, shore based MMOs were present to ensure that dredging activities were visible and identified exclusion zones were visible.

MMEZ boundaries for dredging during the reporting year were defined as 300 meters for all mammals except harbor seals and immediate vicinity for harbor seals.

During the dredging activity, observations of marine mammals in and around the LNG Canada Project included:

- 10 observations of one or more marine mammals.
- Mitigation measures included one shutdown and nine notifications to crane operator, which may be for awareness or to practice avoidance.
- Observations consisted of 10 harbor seals (observations included one or more individuals).

One work stoppage associated with dredging occurred, due to marine mammal presence, within the reporting year. No marine mammal incidents occurred within the reporting year.

5.3.3.2. Marine Construction Activities

The MMEZ boundaries for the reporting year were defined as 1.9 kilometers for activities that produce underwater noise that exceeds 160 dB respective of cetaceans and 150 meters for activities that produce underwater noise that exceeds 180 dB respective of pinnipeds. Delayed starts occurred 3 times due to marine mammal presence within the MMEZ. These stoppages occurred in April 2022. No marine mammal incidents occurred within the reporting year.

Effectiveness monitoring is undertaken for underwater noise through the field environmental monitoring program as outlined in the MMP, including collection and analysis of noise and pressure readings during piling activities. Observations related to impacts on fish are also made through the LNG Canada EM program and related assurance activities.

5.4. Freshwater Fish and Amphibian Program

During construction activities, the LNG Canada Project is committed to avoiding and mitigating impacts to fish and fish habitat. The LNG Canada Project *Sediment and Erosion Control Plan*, *Fish Habitat Management Plan*, and Fisheries Act Authorizations outline requirements to protect freshwater fish habitat at the Project site during construction. Refer to Section 5.1 for further details in FAA1, FAA2, and FAA3.

5.4.1. Isolation of Construction Activities

Planning for isolation of construction activities from the adjacent freshwater fish habitat is done during construction sequencing and related schedule planning. Often, this isolation is driven by requirements around erosion control and/or fish salvage activities. Isolation techniques include use of appropriate fish fences, sandbags, earthen berms, or sheet pile installation.

Isolation structures ranged in size from netting fences and sandbag dams constructed by hand (sandbags) to sheet pile coffer dams constructed with large cranes and hydraulic piledrivers. Earthen berms were also used to isolate areas such as fisheries offsetting habitat development sites that had the potential to flood during high river flows and/or extreme high tides.

Whenever isolation structures were overtopped, or otherwise failed, it was assumed that fish could be present in the flooded work areas. Consequently, flooded areas were re-sampled for fish and a complete fish salvage was conducted if fish were found. Once the isolation structures were re-established and the flooded areas re-salvaged of fish, construction work re-commenced.

Effectiveness of isolation measures is assessed as part of the LNG Canada Project EM program and related assurance activities. In addition to the EM program, the effectiveness of isolation of fish habitat is also assessed while undertaking associated fish salvage activities.

5.4.2. Fish Salvage and Relocation

During the reporting year, fish salvage and relocation occurred during the dewatering and site preparations of the temporary stormwater ponds, maintenance and repair work in the Anderson Creek Realignment Channel and Beaver Creek, and a flood event in the marine environment. During the reporting year an approximate total of 192,222 fish were salvaged from the salvage areas. Fish species varied depending on the habitat types salvaged and included salmonids and stickleback. Under the direction of fisheries QEP, all salvaged fish were released into habitat of a similar type and quality.

Most of the project fish salvage efforts occurred during the summer and fall of 2022 with extensive salvage to support dewatering and site preparations of the temporary stormwater ponds.

The fish salvage efforts are expected to reduce greatly in the next reporting year as the site preparation, creek diversions and habitat off setting were completed in 2021. During the next reporting year, areas where there is a potential for fish salvage have been identified as Anderson Creek realignment channel for the maintenance and repair, and in Beaver Creek during installation of the final grade fencing installation.

5.4.3. Amphibian Salvage and Relocation

During the reporting year, amphibian salvage and relocation occurred during the dewatering and site preparations of the temporary stormwater ponds. Approximately 138,961 amphibians were salvaged, which included Western Toads, Long-toed Salamanders, and Northwestern Salamanders. All salvaged amphibians were released into habitat of a similar type and quality.

Due to the close relationship amphibian salvage has with fish salvage activities and the progression of site preparations, it is expected that amphibian salvage in 2023 will be significantly less than 2022.

5.4.4. Supporting Activities (Construction)

5.4.4.1. Erosion and Sediment Control

ESCs are installed to isolate construction activities from adjacent freshwater fish habitat and protect surrounding vegetation, as well as to reduce soil erosion from raindrop impact and surface runoff of stormwater. A variety of erosion control techniques are implemented as needed, including, but not limited to, silt fencing, straw wattles, riprap, geosynthetics, seeding, ditching, and contouring.

Effectiveness of the implementation of ESC measures are regularly monitored and adjusted in the field as needed.

The LNG Canada *Sediment and Erosion Control* EMP outlines the environmental management requirements related to ESC during early works, construction, and pre-commissioning. Among other things, the Sediment and Erosion Control EMP:

- Identifies regulatory requirements, stakeholder and project commitments related to erosion and sediment control and protection of surface water;
- Identifies project activities and potential environmental effects associated with ESC; and
- Identifies mitigations required to prevent erosion and control sediment during construction activities.

The Sediment and Erosion Control EMP provides information on the best practise and standard methods for ESC.

The Project has implemented several ESC controls during early works and construction, including sediment fencing, straw wattles, silt curtains, berms armoured with rip rap, sediment bags on discharge hoses, and geosynthetic blankets. The Project has also utilized settling ponds, where appropriate. Seeding of slopes and disturbed areas is undertaken as soon as practicable after construction and contouring the ground to minimize surface water flow is undertaken as required.

To verify the ESC mitigations are effective and in working order, the following assurance activities are undertaken as part of the EM Program (refer to Section 3.4):

- Daily water quality monitoring by Environmental Specialists downstream of the construction activities to ensure that turbid water is not impacting aquatic habitat;
- Daily ESC inspections conducted by applicable subcontractors;
- Regular focus inspections conducted by JFJV Environmental Specialists; and
- Weekly joint assurance walks conducted with LNG Canada, JFJV, and contractors.

If issues are detected downstream of the construction site, construction activities upstream are suspended or minimized until the situation is assessed and additional ESC mitigations measures are installed, as required.

ESC was a primary focus in 2022/23 in certain areas; however, ESC was less challenging than during previous reporting years given the plant site earth moving was substantially completed. ESC activities focused on road running surfaces and the permanent soil stockpile.

Stormwater management and erosion control structures, including ditches, ponds, and fencing along the north and south haul roads were effectively maintained and, therefore, consistently performed as intended. The ESC focus and continued improvements resulted in a continued reduction in incidents in 2022 compared to previous years.

The LNG Canada Project continues to implement ESC best practice and standard methods during all phases of the project. Lessons learned and adaptive management is applied as required to ensure effective functioning of controls.

TABLE 6: SUMMARY OF 2021 EROSION AND SEDIMENTATION SUCCESSES AND OPPORTUNITIES FOR IMPROVEMENT

Successes	Opportunities for Improvement
<ul style="list-style-type: none"> • Effective inspection and maintenance program, especially along the North and South Haul roads. • Sequencing and timing of the various scopes maximized least risk windows and reduced risk to surrounding habitats. • Armouring and geotextiles were utilized in many areas as new construction fronts were opened to reduce erosion potential. • Revegetation from natural soils and seed placement reduced erosion risks along reclamation areas and offset construction. • Timing of seeding and riparian planting proved effective in establishing new and continued growth. • Through adequate survey and construction methods, was able to minimize exposed slopes. • Plant site water treatment discharges rarely had issues and were generally in good condition. • Prioritization of proactive planning versus reactive action. • Utilizing passive water management (ditches and silt curtains) that helps drop sediment out of suspension versus active pumping. 	<ul style="list-style-type: none"> • Responsiveness to improving and maintaining mitigations (shorten time from observation to action continued to be implemented). • Continue to perform inspections to ensure erosion control mitigations are effective and implement additional measures as required.

5.4.4.2. Vegetation Management

The LNG Canada *Vegetation Management Plan* outlines mitigation measures pertaining to red and blue-listed plants and communities. Construction activities undertaken in the reporting year did not impact red and blue-listed plants and communities.

Clearing was very limited in 2022/23 and one non-compliance event occurred in association with vegetation removal (five saplings were uprooted prior to the pre-clearing bird sweep being undertaken in June 2022; notifications to Environment and Climate Change Canada and Haisla Nation were undertaken). No opening burning occurred during the reporting year.

LNG Canada revegetates disturbed riparian areas as soon as practicable after construction, in consideration to several factors including weather, Project construction schedule, and activity sequencing. The timing and location of riparian planting is highly dictated by fisheries offset completion, as authorized under the various FAAs (refer to Section 5.1). Riparian re-vegetation success associated with Fisheries Authorizations offsetting measures are monitored and reported within the respective authorization's effectiveness monitoring reports. Within the reporting year, effectiveness monitoring was completed associated with Fisheries Act Authorizations 15-HPAC-00585 (Marine), 15-HPAC-00918 (FAA1), 16-HPAC-00220 (FAA2), and 16-HPAC-01079 (FAA3).

6. Wetlands

The LNG Canada Project is committed to mitigating adverse effects on wetland functions that support migratory birds, species at risk, or the current use of lands and resources for traditional purposes by Indigenous Groups. In BC, wetlands designated as ecologically important to a region are defined by Environment and Climate Change Canada as the following:

- Provincially red – (threatened or endangered) and blue-listed (of special concern) wetland ecological communities
- Estuaries, as identified by the Pacific Estuary Conservation Program
- Areas of continental or regional significance to waterfowl within the Habitat Joint Venture planning boundaries of BC (e.g., estuaries in the Pacific Coast Joint Venture delivery area)
- All eelgrass (*Zostera* subspecies) beds

Approximately 49 hectares of ecologically important wetlands occur within the Project footprint. Five wetland classes (estuarine, fen, marsh, swamp, and open shallow water) are represented, including red-listed and blue-listed wetlands (eelgrass beds are addressed within the DFO Marine FAA for intertidal habitats).

Compensation is considered the third element of the mitigation hierarchy, following avoidance and minimization of adverse effects. Complete avoidance of wetlands is the preferred alternative when wetlands are designated as ecologically or socio-economically important to a region. Due to the extent of wetlands in the Project footprint, feasible alternatives to completely avoid wetlands could not be identified.

6.1. Wetland Protection Mitigations

The LNG Canada Project commits to mitigation measures to minimize and manage adverse effects on wetlands with the Project footprint and adjacent to it. These mitigations are included in project EMPs, and include, but are not limited to, the following:

- Maintenance of hydrology during construction activities to the extent practicable
- Maintenance of wildlife passage during construction activities by limiting fencing, phasing construction activities, and maintaining riparian vegetation where practicable
- Installation of collector ditches to divert surface water from the construction area to sedimentation ponds prior to release

- Design to maintain tidal flow through the LNG loading line using raised infrastructure and breaks, which also allow stream and surface flow to continue
- Delineation of clearing boundaries prior to site preparation to keep clearing activities within the designated Project footprint
- Reclamation of temporary workspace as soon as practicable
- Implementation of the LNG Canada *Sediment and Erosion Control Plan* to manage surface water and avoid sedimentation to adjacent vegetated areas or wetlands
- Implementation of the LNG Canada *Invasive Plant Management Plan* to ensure eradication of invasive plants
- Implementation of the LNG Canada *Surface Water Management Plan* to address stormwater collection, treatment, and disposal during construction
- Development and implementation of the LNG Canada *Wetland Compensation Plan* to address loss of wetland habitat function

Construction activities undertaken in the reporting year adhered to the applicable mitigations listed above.


Prior to undertaking any clearing activities, clearing boundaries are delineated based on Issued for Construction (IFC) drawings. All boundaries are flagged, and verification of clearing boundaries is completed by walking the perimeter of the flagged area prior to commencement of work. During clearing activities, construction crews are actively monitoring to ensure that delineated boundaries are adhered to and that any vegetated buffer zones are maintained.

All areas disturbed to create temporary workspace are reclaimed as soon as practicable. ESCs are installed prior to construction activities that could result in migration of sediment to adjacent vegetation or surface water bodies. Detailed information on mitigations related to ESC is available in Section 5.4.4.1 of this report.

Within the reporting year, LNG Canada completed the annual adjacent wetland assessment, and no adverse effects to adjacent wetlands resulting from construction were identified.

6.2. Wetland Compensation Plan

The LNG Canada Wetland Compensation Plan, developed in accordance with the EAC and the IAAC Decision Statement, defines the actions LNG Canada will take to provide compensatory wetlands at a minimum 2:1 ratio (refer to Figure 3).



 Opportunity for British Columbia. Energy for the world	2020 WETLAND COMPENSATION EFFECTIVENESS MONITORING REPORT COMPENSATION WETLANDS LNG CANADA EXPORT TERMINAL KITIMAT, BRITISH COLUMBIA		PROJECTION UTM9	DRAWN BY LT
			DATUM NAD 83	CHECKED BY SH
			DATE 17-DEC-20	FIGURE NO. 3.1

FIGURE 3: COMPENSATION WETLANDS

The objective of the Wetland Compensation Plan is to implement wetland compensation measures as close to Kitimat as possible with wetlands that reflect a similar wetland type and functions to those that are lost. If reasonable and practical options for restoration, enhancement, and/or creation of wetlands are not available locally within the Kitimat Valley area, then localized land conservation opportunities will be planned.

The Wetland Compensation Plan was submitted to the EAO in July 2015, following consultation with Environment and Climate Change Canada/Canadian Wildlife Service (ECCC/CWS), FOR, and Indigenous Groups and prior to the commencement of construction. As LNG Canada continued consultation with these groups and continued to refine the implementation approach for the Wetland Compensation Plan, it was subsequently revised in May 2018 and August 2019, and the updated plan was shared with Indigenous Groups and pertinent regulatory agencies in June 2020.

No additional updates took place during the reporting year. The LNG Canada Wetland Compensation Plan is available on the LNG Canada external webpage.

6.2.1. Implementation and Effectiveness Monitoring

The Wetland Compensation Plan will be implemented iteratively per the surveyed areas of wetlands identified for compensation within five years of the start of construction (November 15, 2020). Monitoring will be conducted prior to and during construction to detect potential unanticipated loss of wetland functions on site and adjacent to the project footprint. Where any unanticipated loss of function occurs, additional mitigation measures will be developed and applied. Where unanticipated residual losses occur in ecologically important wetlands, these areas will be compensated for in a similar manner as the compensation for the lost wetland functions outlined in the Wetland Compensation Plan.

All the compensation wetlands were constructed and operational in 2021 (refer to Figure 3). These habitats are components of the fisheries offsetting program around the project site and off lease; WAC (CVL) Pond 2 & 3, Anderson Creek off-channel ponds, ACSC ponds, KRSC North & South ponds, Estuary ponds, Minette Bay, and Hospital Beach salt marshes, MCSC and Beaver Creek off-channel ponds.

Approximately 30 ha of additional offsetting will be done through wetland protection. In 2022, efforts to secure an agreement for the selected location (DL95) were temporarily paused. This was resumed in 2023 and it is anticipated that this will be completed in 2023.

LNG Canada has developed an effectiveness monitoring program to ensure that wetland compensation measures are fulfilling the functions of the wetlands they are replacing, which includes the following:

- Compliance monitoring to ensure compensatory habitats are constructed or protected in accordance with the Wetland Compensation Plan
- Effectiveness monitoring to ensure that restored, enhanced, and/or created wetlands are functioning as intended after construction and/or all protected wetland habitats and conservation buffers continue to function as predicted
- Adaptive management actions to promote long term performance of habitat

Monitoring will occur in year one, and in years three, five, and ten after compensation at the sites is completed.

Within the reporting year various wetland habitats underwent effectiveness monitoring. In summary, no major management issues were observed during the 2022 surveys. However, there was a recommendation to consider noxious weed removal at five sites (Estuary Channels, Estuary Enhancement East, Estuary Enhancement West, KRSC North and KRSC South). A summary of the 2022 wetland effectiveness monitoring can be found in Table 7. Subsequent years' monitoring will continue to assess the wetlands' hydrologic, biogeochemical, and habitat functions and associated reporting will be able to include observable trends in the results.

TABLE 7: SUMMARY OF 2022 WETLAND SUCCESS CRITERIA

Wetland Compensation Site (Monitoring Year)	Success Criteria							Comments
	Physical Stability	Hydrological Functions	Biogeochemical Functions - Water Quality	Biogeochemical Functions – Carbon Capture and Storage	Native Vegetation Cover	Invasive Plant Species Cover	Wildlife Habitat Functions	
WAC Pond 3 (Year 3)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	<ul style="list-style-type: none"> • Year 3, riparian area showing high vegetative cover and increasing trend
Estuary Channels (Year 1)	Yes	Yes	No	Yes	N/A	Yes	N/A	<ul style="list-style-type: none"> • Year 1, so trend data is not available yet for native vegetation cover or wildlife habitat functions • Year 1 water quality was below CCME guidelines for pH • One noxious weed and one invasive plant occurrence in Year 1
Estuary Enhancement East (Year 1)	Yes	Yes	No	Yes	N/A	Yes	N/A	<ul style="list-style-type: none"> • Year 1, so trend data is not available yet for native vegetation cover or wildlife habitat functions • Year 1 water quality was below CCME guidelines for DO and pH • One noxious weed and one invasive plant occurrence in Year 1

Estuary Enhancement West (Year 1)	Yes	Yes	Yes	Yes	N/A	Yes	N/A	<ul style="list-style-type: none"> Year 1, so trend data is not available yet for native vegetation cover or wildlife habitat functions One noxious weed occurrence in Year 1
Kitimat River Side Channel – Northern Realignment (Year 3)	Yes	Yes	Yes	Yes	Yes	No	Yes	<ul style="list-style-type: none"> In Year 3, riparian area showing high vegetative cover and increasing trend Increase in noxious weed and invasive plant occurrences in Year 3
Kitimat River Side Channel – Southern Extension (Year 1)	Yes	Yes	No	Yes	N/A	Yes	N/A	<ul style="list-style-type: none"> Year 1, so trend data is not available yet for native vegetation cover or wildlife habitat functions Year 1 water quality was below CCME guidelines for DO and pH One noxious weed and one invasive plant occurrence in Year 1

NOTES:

Yes = success criteria have been met for a given category and site in 2022

No = success criteria have not been met for a given category and site in 2022

N/A = success criteria could not be evaluated in 2022 because trend data is not available yet in Year 1 for a given category

See Section 4.0 of this report for success criteria

7. Migratory Birds

The LNG Canada Project is committed to implementing the Project in a manner that protects wildlife, including migratory birds and their habitat. Mitigations to support this commitment are outlined in the LNG Canada *Wildlife Management Plan (Construction)* and the LNG Canada *Raptor Management Plan*. The *Environment Canada Avoidance Guidelines* to reduce the risk of incidental take of migratory birds, nests, and eggs was considered in the development of these plans and continues to be considered during execution of construction activities.

QEPs, including an Avian Biologist as required, are on site or available during construction activities to support the LNG Canada Project and provide guidance on avoiding harm. Mitigations to avoid impact to migratory birds include, but are not limited to, the following:

- Reduction of light and noise pollution where feasible
- Adherence to timing and restricted activity window requirements, including bird breeding periods and species at risk periods
- Adherence to provincial and federal setback distances for migratory bird and raptor nests

Annually between March 25th through August 17th, the LNG Canada Project implements mitigations to reduce impact to migratory bird breeding and nesting habits. From January 1st through September 5th annually, mitigations to avoid impact to breeding and nesting raptors are implemented.

Under the guidance of a qualified QEP, the following mitigation hierarchy is implemented:

1. Where possible, tree clearing, and ground disturbance activities take place outside of identified bird breeding periods
2. Where tree clearing and disturbance activities must take place within bird breeding periods, areas for clearance will be prioritized based on habitat risk evaluation
3. Bird surveys are conducted where timing restrictions cannot be met
4. If nesting is determined, required setbacks and mitigations will be implemented under the direction of a qualified avian biologist

A mitigation matrix (refer to Figure 4) is followed to determine appropriate mitigation efforts that consider the disturbance level and nesting potential.

A. Determine disturbance level of project activities.

Activity	Disturbance Level
Traversing	I
Limbing, soil salvage, or site preparation that removes some vegetation	II
Brushing, hand falling, mechanical falling, mowing, mulching	III

B. Determine nesting potential.

Environment Canada Calendar Colour	Percentage of Species Nesting	Nesting Potential
Grey • White • Yellow	0-10%	Low
Light Orange	11-20%	Moderate
Dark Orange	21-40%	High
Red • Dark Red	41-100%	Very High

C. Use Mitigation Matrix to determine mitigation level.

Disturbance Level	Nesting Potential			
	Low	Moderate	High	Very High
I	1	1	1	1
II	1	2	3	3
III	1	3	4	5

FIGURE 4: MIGRATORY BIRDS MITIGATION MATRIX

The LNG Canada Project made efforts to clear vegetation outside of the breeding bird window to alleviate disturbance to migratory birds. LNG Canada completed pre-disturbance bird surveys to ensure that no potentially active nests are present within the active construction area. Bird surveys are conducted by an QEP based on site maps and survey information related to the active construction area. When an active nest is identified, barrier tape is installed to indicate a buffer area (“no-go” zone). The QEP determines appropriate buffer distances following accepted practice.

The QEP prepared a report on bird survey results daily for LNG Canada, which included a map of identified buffer zones. Construction progress and related active nests and buffer zones are tracked daily. Regular inspections are also undertaken to identify potential active nests on idle construction equipment. If active nests are found on equipment or infrastructure, buffer zones are identified as described above.

After buffer zones are established, the QEP conducts regular checks to assess whether mitigations are working. Active nests are monitored from a distance to confirm and track the status and ensure

that construction activities in the vicinity do not impact nesting or fledging. The buffer can only be removed once the QEP has determined that the nest is no longer active, and no other nests exist.

During the reporting year, 24 pre-disturbance bird nest surveys were completed for the LNG Canada Project. Across the Project, 20 active nests were identified through a mix of pre-disturbance bird nest surveys and worker and environmental monitor identification on various Project infrastructure.

7.1. Osprey

In the first quarter of 2021, a bald eagle was observed adding building material to the nesting platform constructed by LNG Canada in 2017. Minimal eagle activity was noted in or near the platform following the initial observation and it is not believed that eggs or young were present in 2021. Due to eagle activity in the nest in previous reporting years and the construction of the loading line trestle in 2022 falling within 300 meters of the nest, JFJV obtained a permit from FOR to place a deterrent cone in the nest in February 2022. The deterrent cone was removed in January 2023 at the beginning of the 2023 nesting window.

No raptor activity was noted on either of the 2 nesting platforms constructed on Terminal B in 2019, with 1 of the platforms being removed in early 2022 due to construction footprint and requirements. The remaining platform will remain in place until a new platform location can be constructed in future years.

7.2. Marbled Murrelet

Marbled murrelet surveys were completed for the LNG Canada Project site in 2014 and 2015. Surveys were completed in late May, early June, early July, and late July to get an accurate picture of habitat use and associated marbled murrelet nesting activity.

If vegetation clearance is required during the nesting season in marbled murrelet habitat identified as being 'potential marbled murrelet critical habitat' or 'high and moderate suitability marbled murrelet habitat', a pre-disturbance nest survey will be undertaken as described in Section 7 of this report.

During the reporting year, no potential high and moderate marbled murrelet habitat was removed, as this was completed in a previous reporting year, outside of the marbled murrelet breeding period. LNG Canada does not anticipate any further clearing of old growth forest within the potential marbled murrelet habitat.

Minor clearing of vegetative re-growth in previously logged areas is expected within the mapped boundary of the murrelet habitat. All reasonable efforts were made to complete the clearing outside of the migratory bird window. Migratory bird surveys were completed for any areas of vegetative re-growth that required clearing within the migratory bird breeding window.

7.3. Reportable Events

There were three self-disclosures to ECCC/CWS during the reporting year related to migratory birds. Two events were related to potential incidental take of robins' nests and the third related to clearing of vegetation prior to a pre-clearing bird sweep (refer to section 5.4.4.2.). No actual impact to migratory birds were determined for any of the self disclosures.

8. Human Health

The LNG Canada Project is committed to reduction of noise and air emissions during Project activities and takes steps to implement mitigations as appropriate.

The LNG Canada Project applies best management practices for construction noise from the *British Columbia Oil and Gas Commission's Noise Control Best Practices Guidelines*. Best management practices are documented in the LNG Canada Project *Noise Management Plan (Construction)*, which was developed in consultation with the BCER, District of Kitimat and Haisla Nation. For activities taking place during the reporting year, the following mitigations were implemented:

- Traffic routing to avoid residential areas where possible;
- Project vehicles have installed in-vehicle-monitoring-systems to monitor driving behaviours;
- Adherence to municipal noise requirements and restrictions, including use of engine brakes;
- Proper management of construction vehicles and equipment, including consideration of maintenance requirements, noise mufflers and use of rubber tires where practical and available;
- Undertaking construction activities, including pile installation, between the hours of 07:00 and 22:00, where practical;
- Implementation of a notification protocol to provide advance notice to residents of any planned substantial noise-causing activities at the LNG Canada site (refer to Section 0 of this report); and
- Use of dust control measures on site including road watering, sweeping, speed control mitigations, and seeding of stockpiles.

Notifications specific to noise included piling activities.

8.1. Noise Complaints

As outlined in Section 4.1.7 of this report, the LNG Canada Community Feedback Process was developed in consultation with Indigenous Groups and key stakeholders to track inquiries and complaints related to community concerns, including noise; and was transitioned to JFJV in the previous reporting year. The Community Feedback Process acknowledges all complaints within 48 to 72 hours.

There was one complaint received related to noise within the reporting year. The complaint was investigated and found not to be related to Project activities.

8.2. Marine Water and Sediment Quality

The LNG Canada Project marine EMPs define minimum requirements and mitigations for marine work, including management and monitoring of marine water and sediment quality during construction.

The MMP includes an assessment of risks and potential duration of any exceedances of the CCME Water Quality and Interim Sediment Quality Guidelines, and BC Approved Water Quality Guidelines and Working Sediment Quality Guidelines that could occur during dredging and other in-water construction activities. The marine EMPs identify mitigation measures to avoid such exceedances and reference notification protocols for any exceedances that do take place.

The marine EMPs identify mitigation measures to minimize sediment dispersion during in-water construction activities, such as project construction sequencing, consideration of metocean conditions, and use of physical barriers as appropriate. Sediment and water quality monitoring were implemented in accordance with the MMP during in-water construction activities.

Haisla Nation received monthly water quality reports as defined in the MMP for the dredging activity.

9. Current Use of Lands and Resources for Traditional Purposes

The LNG Canada Project is committed to protecting archaeological and heritage resources that could be impacted by the Project.

An Archaeological Impact Assessment (AIA) was conducted as per the BC *Heritage Conservation Act* (HCA) *Heritage Inspection Permit (HIP) 2013-0149* to identify potential areas of archaeological or cultural significance prior to construction activities commencing.

Fieldwork was conducted from June to November 2013 and in April and May 2014 by a team of professional archaeologists and Haisla First Nation representatives. Within the Project site, 23 areas were identified with moderate to high potential for buried archaeological sites. Subsurface testing was undertaken at all these shovel test locations (STLs). A total of 510 STLs and seven evaluative units were excavated. One archaeological site was identified during the AIA fieldwork for the Project (GaTe-5).

Alterations at the GaTe-5 area occurred within the 2020/2021 reporting year, which involved sediment stripping and stockpiling of inspected site deposits at a temporary holding location, and then transportation of the inspected deposits to a permanent holding location (within the Project area).

9.1. Archaeological and Heritage Resources Management Plan

The LNG Canada Project has developed an *Archaeological and Heritage Resources Management Plan* in consultation with Indigenous Groups. The *Archaeological and Heritage Resources Management Plan* considers the BC Handbook for the Identification and Recording of Culturally Modified Trees and defines processes to follow to protect and preserve archaeological and heritage resources, and the procedure to follow in the event of a chance find of archaeological, cultural, or heritage resources during construction. This plan was one of the EMPs that was revised during the reporting year and included in the engagement and consultation activities outlined in Section 4.2.

The *Archaeological and Heritage Resources Management Plan* outlines the following hierarchy of mitigations for archaeological or heritage resources that require protection, preservation, or recovery:

1. Avoidance through partial redesign or redirection of construction activities, including implementation of setbacks, etc.
2. Protection and preservation of the site on a temporary or ongoing basis (e.g., concealment, access limitations, etc.)

3. Salvage or emergency excavation as a mitigating measure to recover and repatriate any materials or human remains as defined in a Site Alteration Permit

The *Chance Find Procedure* provides a summary of the types of historical, archaeological, paleontological, or architectural resources potentially present in the project area that may be encountered during construction, including rock art (e.g., pictographs), Culturally Modified Trees and Tree Art (e.g., bark stripping), surface features from former habitations (e.g., burned rock, fish traps), and artefacts (e.g., stone, bone).

If a chance find is discovered on the LNG Canada Project site during construction, work is stopped, and the area is delineated with barriers to prevent access and protect the resource. LNG Canada or JFJV will consult a professional archaeologist for guidance on further action. Further action may include confirmation that work can continue as planned, confirmation that work can continue under specific conditions, or confirmation that further assessment is required by a professional consulting archaeologist. All regulatory and Indigenous Groups will be notified as directed by the professional archaeologist.

No chance finds occurred in the reporting year.

9.2. Marine Resources

To define procedures and practices for sharing information and facilitating communication with Indigenous Groups and other local marine users, a communication protocol was developed by LNG Canada and incorporated into the MATMP. The communication protocol was developed in consultation with regulatory agencies and Indigenous Groups and approved by EAO in February of 2018. The protocol includes processes for communicating the following:

- Location and timing of construction activities in the marine environment and location and timing of traditional activities by Indigenous Groups
- Safety procedures related to marine construction and operation, including navigation aids, and updated navigational charts
- Locations of restricted navigation due to safety reasons
- Operational speed requirements
- Methods of providing feedback to LNG Canada on adverse effects related to navigation

During the reporting year, LNG Canada communicated marine traffic information to Indigenous Groups and marine users as per the MATMP. Key marine communications shared included:

- Weekly shipping schedules shared with all Indigenous Groups. Updated schedules are shared with Indigenous Groups during shipping period if information changes. A weekly schedule is also posted on the LNG Canada website.
- Vessels' AIS (Automatic Identification System) details provided for real time monitoring of vessels' positions and movements online.
- Communications to Indigenous Groups in advance of milestone shipping activities, such as the arrival of heavy lift vessels to site, the commencement of dredging or piling activities, and the transport of IL+/- materials.
- Ongoing commitment to send routine communications notices to First Nations for large modular shipments of interest, including detailed schedule and cargo information as well as load-out photos from the fabrication yards.
- Dedicated monthly marine activities meeting with Gitga'at throughout the year.
- Shipping lookahead meetings with Gitga'at as requested to provide an overview of expected shipping traffic in the upcoming quarter.
- A dedicated marine shipping booth at LNG Canada Project Open Houses in Terrace and Kitimat in September 2022 where information was provided related to LNG Canada's general shipping activities, Heavy Transport Vessels, Tugs, and LNG Carriers.

10. Emergency Preparedness and Response

Unplanned events could arise from accidents or malfunctions associated with Project activities, resulting in impacts to environmental, social, health, heritage, or economic values.

The LNG Canada Project has developed the LNG Canada Strategy for Communicating Accidents or Malfunctions (Construction) (C000-000-HX-6180-0005) in support of IAAC Decision Statement Condition 10.3. This document describes the types of accidents or malfunctions scenarios that require notification and how the LNG Canada Project would notify Indigenous Groups in the event of an accident or malfunction, as well as details of the points of contact for the LNG Canada Project and the respective Indigenous Groups.

The LNG Canada Project has identified scenarios for potential accidents or malfunctions in the Environmental Assessment. The Environmental Assessment considered the likelihood and consequence of the occurrence and considered scenarios for each of the potential accidents or malfunctions according to the likelihood of the scenario arising and the potential consequence or severity of the scenario arising. Credible scenarios applicable to construction are summarized in Table 8.

LNG Canada also demonstrated emergency preparedness through the Marine Traffic Coordination Communication Protocol, a requirement under the MATMP. During the reporting year LNG Canada maintained roles and responsibilities for marine traffic coordination, emergency and incident response and provided an overview for vessel scheduling and traffic reporting cycles and communications, as appropriate.

TABLE 8: ACCIDENTS AND MALFUNCTIONS

Accident or Malfunction Scenario	Applicability to Reporting Year
Spills of hazardous materials (not including LNG)	Applicable to construction
Loss of containment of LNG at the LNG processing and storage site	Not applicable to construction
Emergency LNG facility shutdown	Not applicable to construction
Explosion and Fire	Applicable to construction
Marine vessel grounding and collisions, including collisions with marine mammals and loss of cargo	Applicable to construction

Of the above analyzed scenarios, a potential spilling of hazardous materials (not including LNG), fire or explosion, and vessel-related incidents as described apply during the current project construction scope. Incidents relating to loss of containment of LNG, LNG vessel incidents, and emergency facility

shutdown cannot credibly occur during construction activities and are applicable to the operations phase of the Project.

No accidents or malfunctions took place during the reporting year.

10.1. Emergency Response and Notification

The LNG Canada Project emergency procedures are in place to ensure timely and effective decision making in the critical period during and following an emergency. The LNG Canada Project Emergency response framework contains a series of inter-related documents and manuals that outline the tools (plans, procedures, and processes) and reference materials required to facilitate a prompt, safe, efficient, and effectively managed response to all incidents resulting from LNG Canada construction regardless of size or complexity.

These incident management procedures are detailed in the Project's Emergency Response Plans (ERPs). The LNG Canada Project subscribes to the principles and processes outlined in the Incident Command System (ICS) structure.

The Core ERP is the foundation document of the LNG Canada Project emergency response process. The Core ERP sets the standards for emergency response and includes, but is not limited to, details for communication and planning of emergency response activities, description of ICS, roles and responsibilities, requirements and frequency of training and exercises, initial response actions and notification requirements, and general hazard and response procedures.

The Core ERP was updated in January 2023 and included changes pertaining to the inclusion of commissioning Pre-Incident Plans and tactical data for high-risk potential, reference to Spill Response Plans and Spill Prevention Response Plans as sub plans and a general reformatting of the document. The ERP was consulted with all Indigenous Groups during February and March 2023 and virtual meetings held with those Nations who requested a walkthrough of the document. No concerns or issues were raised during consultation.

A site-specific ERP for construction activities has been developed that contains detailed information related to emergency response resources, notification requirements, and modes of emergency communication. It contains plans for the most probable emergency scenarios, including detailed information to support incident response, information on emergency response resources, notification requirements, and modes of emergency communication.

The LNG Canada Project staff and contractors are trained to immediately respond to all spills by controlling and containing the release. Adequate spill response equipment is available on site to respond to *Most Likely* spill scenarios, and contractors are required to have adequate spill capabilities

related to their scope of work and risk. The LNG Canada Project ensures that spill supplies are available in proximity to work being done.

The LNG Canada Project staff and contractors are required to report all incidents, including spills, to their supervisor as soon as reasonably practicable. Incident notification is escalated through the LNG Canada Project organization, and external stakeholder and regulatory notifications are completed.

All spill and incident reporting is conducted according to requirements under the Emergency Management Act, the Oil and Gas Activities Act, and the Impact Assessment Act. If an incident is deemed an *Accident or Malfunction* (as per Table 8), the LNG Canada Project will notify relevant federal and provincial authorities and Indigenous Groups, as soon as possible.

All regulatory reportable spills and environmental incidents are documented. High-risk incidents will be investigated to determine root and contributing causes and identify corrective actions to prevent recurrence.

10.2. Communication Strategy

In early 2018, the LNG Canada Project developed the *LNG Canada Strategy for Communicating Accidents or Malfunctions (Construction)*, in consultation with Indigenous Groups, as required by IAAC Decision Statement Condition 10.3. The Strategy outlines the process for notifying Indigenous Groups, as well as contact information for reporting. Reportable scenarios and criteria are outlined in the Strategy for spills, explosion, fire, and vessel collisions.

In June 2021, LNG Canada shared with Indigenous Groups a proposed updated IAAC Strategy for Communicating Accidents and Malfunctions. The Strategy had been updated to incorporate JFJV's emergency response procedures and points of contact, and some updates to Section 3.2.1 (Spill of Hazardous Materials) to ensure that Nations are informed of significant incidents and those that may have tangible off site environmental impact. LNG Canada also asked Indigenous Groups to confirm that the identified individuals and contact details contained in the IAAC Strategy were still accurate. LNG Canada requested comments or feedback on the proposed updates and the points of contact. Feedback was incorporated and the final updated LNG Canada IAAC Strategy for Communicating Accidents and Malfunctions was shared with Indigenous Groups in January 2022.

For spills of hazardous materials (not including LNG), IAAC and Indigenous Groups will be jointly notified of any spills that:

1. Are not contained within the Project footprint; and
2. Have potential to migrate off site (e.g., releases to waterbodies); and
3. Are not readily cleaned up or contained (i.e., incidents that trigger a larger response such as Incident Command System mobilization).

Any fire and explosion scenarios for the construction phase will, in all likelihood, be related to fuel storage on vessels and barges. For fires and explosions related to marine construction as outlined in the *LNG Canada Strategy for Communicating Accidents or Malfunctions*, IAAC will be notified and the affected Indigenous Group, based on location of the incident and traditional territory considerations, will be notified.

Collisions between vessels or collisions between a vessel and a stationary object within the Port of Kitimat that result in environmental damage will be jointly reported to IAAC and Haisla Nation.

No accidents or malfunctions occurred in the reporting year therefore the communication strategy was not triggered.

An updated version of the *LNG Canada Strategy for Communicating Accidents or Malfunctions* is currently being developed to reflect scenarios that may occur during the asset operations phase of the Project. Indigenous Groups have forwarded updated personnel contact information for this latest version once complete.